



## Appendix D Noise Monitoring Data Trending


### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



# Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



# Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



**Summary of the Construction Activities Undertaken during the Reporting Period**

<b>Location of works</b>	<b>Construction activities undertaken</b>	<b>Remarks on progress</b>
Breakwater	<ul style="list-style-type: none"><li>• Sand Blanket Laying</li></ul>	<ul style="list-style-type: none"><li>• Completed</li></ul>
Reclamation area	<ul style="list-style-type: none"><li>• Placing Rock Filter</li><li>• Placing Sand Filter</li><li>• Reclamation Works</li></ul>	<ul style="list-style-type: none"><li>• On-going</li><li>• Completed</li><li>• On-going</li></ul>
Seawall portion	<ul style="list-style-type: none"><li>• Coring of DCM cluster</li><li>• Installation of caisson</li><li>• Installation of Prefabricated Vertical Drain</li><li>• Installation of Chinese Pod</li></ul>	<ul style="list-style-type: none"><li>• Completed</li><li>• On-going</li><li>• Completed</li><li>• On-going</li></ul>

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 7, 14, 19 & 27 October 2020 (Daytime)

7&8, 14&15, 19&20, 27&28 October 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 Oct 2020	16:00	-	16:30	Sunny	55.2	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
7 Oct 2020	19:05	-	19:10	Fine	57.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.7		
	21:05	-	21:10		56.0		
8 Oct 2020	1:05	-	01:10	Fine	51.4	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	3:05	-	03:10		52.8		
	5:05	-	05:10		53.5		
14 Oct 2020	16:03	-	16:33	Fine	51.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
14 Oct 2020	19:03	-	19:08	Fine	52.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		53.1		
	21:03	-	21:08		55.0		
15 Oct 2020	1:03	-	01:08	Fine	49.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	3:03	-	03:08		55.1		
	5:03	-	05:08		49.3		
19 Oct 2020	16:06	-	16:36	Sunny	60.2	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
19 Oct 2020	19:06	-	19:11	Fine	61.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:06	-	20:11		59.5		
	21:06	-	21:11		59.7		
20 Oct 2020	1:06	-	01:11	Fine	57.4	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	3:06	-	03:11		57.4		
	5:06	-	05:11		58.6		
27 Oct 2020	16:06	-	16:36	Sunny	58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	19:06	-	19:11	Fine	58.7		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 Oct 2020	20:06	-	20:11		58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	21:06	-	21:11		57.6		
28 Oct 2020	1:06	-	01:11	Fine	58.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	3:06	-	03:11		52.4		
	5:06	-	05:11		52.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 2, 9, 16 & 23 November 2020 (Daytime)  
2&3, 9&10, 16&17, 23&24 November 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Nov 2020	16:02	-	16:32	Sunny	58.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
2 Nov 2020	19:02	-	19:07	Fine	58.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		58.4		
	21:02	-	21:07		57.9		
3 Nov 2020	01:02	-	01:07	Fine	50.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		51.2		
	05:02	-	05:07		52.6		
9 Nov 2020	16:05	-	16:35	Fine	61.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
9 Nov 2020	19:05	-	19:10	Fine	61.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		60.5		
	21:05	-	21:10		61.1		
10 Nov 2020	01:05	-	01:10	Fine	60.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		64.8		
	05:05	-	05:10		64.6		
16 Nov 2020	16:02	-	16:32	Sunny	61.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
16 Nov 2020	19:02	-	19:07	Fine	48.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		53.7		
	21:02	-	21:07		57.8		
17 Nov 2020	01:02	-	01:07	Fine	60.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		57.9		
	05:02	-	05:07		58.9		
23 Nov 2020	16:04	-	16:34	Sunny	54.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
23 Nov	19:04	-	19:09	Fine	53.0		



<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)}</math> / <math>L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
2020	20:04	-	20:09		57.4	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	21:04	-	21:09		58.0		
24 Nov 2020	01:04	-	01:09	Fine	57.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		55.7		
	05:04	-	05:09		52.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:02	-	16:32	Sunny	55.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
1 Dec 2020	19:02	-	19:07	Fine	59.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.9		
	21:02	-	21:07		55.8		
2 Dec 2020	01:02	-	01:07	Fine	63.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		61.8		
	05:02	-	05:07		58.7		
7 Dec 2020	16:02	-	16:32	Fine	59.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
7 Dec 2020	19:02	-	19:07	Fine	63.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		58.4		
	21:02	-	21:07		54.1		
8 Dec 2020	01:02	-	01:07	Fine	63.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.9		
	05:02	-	05:07		53.9		
14 Dec 2020	16:02	-	16:32	Sunny	56.2	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
14 Dec 2020	19:02	-	19:07	Fine	51.9	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		53.6		
	21:02	-	21:07		63.1		
15 Dec 2020	01:02	-	01:07	Fine	54.4	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.8		
	05:02	-	05:07		55.3		
21 Dec 2020	16:01	-	16:31	Sunny	54.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:01	-	19:06	Fine	54.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		51.7		
	21:01	-	21:06		54.8		
22 Dec 2020	01:01	-	01:06	Fine	55.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.2		
	05:01	-	05:06		56.4		
28 Dec 2020	16:03	-	16:38	Sunny	55.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
28 Dec 2020	19:03	-	19:08	Fine	55.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.7		
	21:03	-	21:08		56.3		
29 Dec 2020	01:03	-	01:08	Fine	54.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.6		
	05:03	-	05:08		55.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 7, 14, 19 & 27 October 2020 (Daytime)

7&8, 14&15, 19&20, 27&28 October 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than Nil  
construction activities from  
the Project:

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 Oct 2020	16:06	-	16:36	Sunny	59.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
7 Oct 2020	19:06	-	19:11	Fine	60.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:06	-	20:11		59.6		
	21:06	-	21:11		56.9		
8 Oct 2020	1:06	-	01:11	Fine	53.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	3:06	-	03:11		54.4		
	5:06	-	05:11		55.3		
14 Oct 2020	16:03	-	16:33	Fine	60.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
14 Oct 2020	19:03	-	19:08	Fine	58.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.0		
	21:03	-	21:08		61.7		
15 Oct 2020	1:03	-	01:08	Fine	57.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	3:03	-	03:08		61.1		
	5:03	-	05:08		52.5		
19 Oct 2020	16:02	-	16:32	Sunny	58.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
19 Oct 2020	19:02	-	19:07	Fine	62.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		58.6		
	21:02	-	21:07		62.1		
20 Oct 2020	1:02	-	01:07	Fine	56.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	3:02	-	03:07		53.0		
	5:02	-	05:07		56.0		
27 Oct 2020	16:06	-	16:36	Sunny	58.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	19:06	-	19:11	Fine	60.0		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min}</math> dB(A) / <math>L_{eq\ 5min}</math> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 Oct 2020	20:06	-	20:11		58.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	21:06	-	21:11		56.6		
28 Oct 2020	1:06	-	01:11	Fine	55.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	3:06	-	03:11		55.3		
	5:06	-	05:11		55.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 2, 9, 16 & 23 November 2020 (Daytime)

2&3, 9&10, 16&17, 23&24 November 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than Nil  
construction activities from  
the Project:

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Nov 2020	16:03	-	16:33	Sunny	56.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
2 Nov 2020	19:03	-	19:08	Fine	52.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		52.4		
	21:03	-	21:08		55.5		
3 Nov 2020	01:06	-	01:08	Fine	58.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:06	-	03:08		60.5		
	05:06	-	05:08		61.1		
9 Nov 2020	16:02	-	16:32	Fine	56.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
9 Nov 2020	19:02	-	19:07	Fine	55.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.3		
	21:02	-	21:07		60.0		
10 Nov 2020	01:02	-	01:07	Fine	52.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		55.5		
	05:02	-	05:07		50.9		
16 Nov 2020	16:01	-	16:31	Sunny	65.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
16 Nov 2020	19:01	-	19:06	Fine	55.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.8		
	21:01	-	21:06		55.4		
17 Nov 2020	01:01	-	01:06	Fine	60.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		61.8		
	05:01	-	05:06		59.8		
23 Nov 2020	16:04	-	16:34	Sunny	59.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
23 Nov	19:04	-	19:09	Fine	56.2		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
2020	20:04	-	20:09		57.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	21:04	-	21:09		57.8		
24 Nov 2020	01:04	-	01:09	Fine	59.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		58.0		
	05:04	-	05:09		53.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:04	-	16:34	Sunny	57.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
1 Dec 2020	19:04	-	19:09	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		57.2		
	21:04	-	21:09		55.9		
2 Dec 2020	01:04	-	01:09	Fine	56.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		55.6		
	05:04	-	05:09		54.8		
7 Dec 2020	16:01	-	16:31	Fine	58.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
7 Dec 2020	19:01	-	19:06	Fine	56.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		58.5		
	21:01	-	21:06		55.2		
8 Dec 2020	01:01	-	01:06	Fine	55.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.7		
	05:01	-	05:06		54.8		
14 Dec 2020	16:05	-	16:35	Sunny	56.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
14 Dec 2020	19:05	-	19:10	Fine	50.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.5		
	21:05	-	21:10		58.7		
15 Dec 2020	01:05	-	01:10	Fine	60.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		54.9		
	05:05	-	05:10		55.5		
21 Dec 2020	16:02	-	16:32	Sunny	69.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)



<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:02	-	19:07	Fine	58.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.1		
	21:02	-	21:07		54.3		
22 Dec 2020	01:02	-	01:07	Fine	56.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.9		
	05:02	-	05:07		52.9		
28 Dec 2020	16:04	-	16:39	Sunny	60.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
28 Dec 2020	19:04	-	19:09	Fine	54.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.7		
	21:04	-	21:09		59.5		
29 Dec 2020	01:04	-	01:09	Fine	58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		57.6		
	05:04	-	05:09		53.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 7, 14, 19 & 27 October 2020 (Daytime)

7&8, 14&15, 19&20, 27&28 October 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 Oct 2020	16:04	-	16:34	Sunny	53.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
7 Oct 2020	19:04	-	19:09	Fine	52.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:04	-	20:09		59.3		
	21:04	-	21:09		61.9		
8 Oct 2020	1:04	-	01:09	Fine	63.0	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	3:04	-	03:09		62.9		
	5:04	-	05:09		55.6		
14 Oct 2020	16:02	-	16:32	Fine	58	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
14 Oct 2020	19:02	-	19:07	Fine	59.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:02	-	20:07		53.0		
	21:02	-	21:07		55.0		
15 Oct 2020	1:02	-	01:07	Fine	55.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	3:02	-	03:07		59.5		
	5:02	-	05:07		57.7		
19 Oct 2020	16:04	-	16:34	Sunny	52.5	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
19 Oct 2020	19:04	-	19:09	Fine	53.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:04	-	20:09		51.4		
	21:04	-	21:09		54.3		
20 Oct 2020	1:04	-	01:09	Fine	52.3	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	3:04	-	03:09		48.5		
	5:04	-	05:09		45.3		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)}</math> / <math>L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
27 Oct 2020	16:00	-	16:30	Sunny	51.5	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
27 Oct 2020	19:05	-	19:10	Fine	53.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:05	-	20:10		53.2		
	21:05	-	21:10		50.5		
28 Oct 2020	1:05	-	01:10	Fine	52.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	3:05	-	03:10		52.0		
	5:05	-	05:10		53.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 2, 9, 16 & 23 November 2020 (Daytime)  
2&3, 9&10, 16&17, 23&24 November 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Nov 2020	16:03	-	16:33	Sunny	56.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
2 Nov 2020	19:03	-	19:08	Fine	53.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.5		
	21:03	-	21:08		54.3		
3 Nov 2020	01:04	-	01:09	Fine	57.5	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:04	-	03:09		56.9		
	05:04	-	05:09		53.5		
9 Nov 2020	16:05	-	16:35	Fine	56.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
9 Nov 2020	19:05	-	19:10	Fine	54.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:05	-	20:10		56.1		
	21:05	-	21:10		53.5		
10 Nov 2020	01:05	-	01:10	Fine	51.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:05	-	03:10		52.3		
	05:05	-	05:10		53.0		
16 Nov 2020	16:04	-	16:34	Sunny	54.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
16 Nov 2020	19:04	-	19:09	Fine	49.0	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:04	-	20:09		50.2		
	21:04	-	21:09		52.9		
17 Nov 2020	01:04	-	01:09	Fine	50.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:04	-	03:09		52.1		
	05:04	-	05:09		52.7		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)}</math> / <math>L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
23 Nov 2020	16:00	-	16:30	Sunny	51.3	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
23 Nov 2020	19:00	-	19:05	Fine	51.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:00	-	20:05		55.0		
	21:00	-	21:05		52.5		
24 Nov 2020	01:00	-	01:05	Fine	49.0	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:00	-	03:05		51.4		
	05:00	-	05:05		49.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:03	-	16:33	Sunny	50.0	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
1 Dec 2020	19:03	-	19:08	Fine	52.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:03	-	20:08		48.0		
	21:03	-	21:08		57.9		
2 Dec 2020	01:03	-	01:08	Fine	62.1	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:03	-	03:08		60.0		
	05:03	-	05:08		48.2		
7 Dec 2020	16:01	-	16:31	Fine	58.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
7 Dec 2020	19:01	-	19:06	Fine	60.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:01	-	20:06		57.0		
	21:01	-	21:06		61.4		
8 Dec 2020	01:01	-	01:06	Fine	61.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:01	-	03:06		58.3		
	05:01	-	05:06		53.0		
14 Dec 2020	16:01	-	16:31	Sunny	53.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
14 Dec 2020	19:01	-	19:06	Fine	57.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:01	-	20:06		49.3		
	21:01	-	21:06		49.5		
15 Dec 2020	01:01	-	01:06	Fine	53.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:01	-	03:06		51.5		
	05:01	-	05:06		50.8		
21 Dec 2020	16:02	-	16:32	Sunny	61.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:02	-	19:07	Fine	52.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:02	-	20:07		51.1		
	21:02	-	21:07		53.0		
22 Dec 2020	01:02	-	01:07	Fine	59.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:02	-	03:07		59.5		
	05:02	-	05:07		52.6		
28 Dec 2020	16:05	-	16:35	Sunny	56.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
28 Dec 2020	19:05	-	19:10	Fine	52.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.4		
	21:05	-	21:10		48.9		
29 Dec 2020	01:05	-	01:10	Fine	52.3	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:05	-	03:10		53.4		
	05:05	-	05:10		54.3		