



Appendix C Water Quality Monitoring Data Trending

Salinity (Depth-averaged) during MID-FLOOD




Note: No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.

Salinity (Depth-averaged) during MID-EBB



Note: No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Dissolved Oxygen (Surface & Middle) during MID-FLOOD



Note: The Action and Limit Level of dissolved oxygen can be referred to **Table 2.2** of the quarterly EM&A report..

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Dissolved Oxygen (Surface & Middle) during MID-EBB



Note: The Action and Limit Level of dissolved oxygen can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Dissolved Oxygen (Bottom) during MID-FLOOD



Note: The Action and Limit Level of dissolved oxygen can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Dissolved Oxygen (Bottom) during MID-EBB



Note: The Action and Limit Level of dissolved oxygen can be referred to **Table 2.2** of the quarterly EM&A report.


No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.

pH (Depth-averaged) during MID-FLOOD




Note: No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.

pH (Depth-averaged) MID-EBB



Note: No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Turbidity (Depth-averaged) during MID-FLOOD



Note: The Action and Limit Level of turbidity can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Turbidity (Depth-averaged) during MID-EBB



Note: The Action and Limit Level of turbidity can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Suspended Solids (Depth-averaged) during MID-FLOOD



Note: The Action and Limit Level of suspended solids can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Suspended Solids (Depth-averaged) during MID-EBB



Note: The Action and Limit Level of suspended solids can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.


Temperature (Depth-averaged) during MID-FLOOD



Note: The Action and Limit Level of temperature can be referred to **Table 2.2** of the quarterly EM&A report.

No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.

Temperature (Depth-averaged) during MID-EBB




Note: The Action and Limit Level of temperature can be referred to **Table 2.2** of the quarterly EM&A report.


No rainstorm warning signal nor tropical cyclone warning signal was recorded by Hong Kong Observatory during reporting period.

Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	• Placing Rock Filter	• On-going
	• Reclamation Works	• On-going
Seawall portion	• Installation of caisson	• On-going
	• Installation of Chinese Pod	• On-going
	• PVD Remedial Works	• On-going
	• Installation of Settlement Markers	• On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 4, 11, 18, 25 January 2021 (Daytime)

4&5, 11&12, 18&19, 25&26 January 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Jan 2021	16:01	-	16:31	Sunny	57.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
4 Jan 2021	19:01	-	19:06	Fine	57.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		58.3		
	21:01	-	21:06		57.0		
5 Jan 2021	01:01	-	01:06	Fine	55.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.8		
	05:01	-	05:06		56.2		
11 Jan 2021	16:02	-	16:32	Fine	56.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
11 Jan 2021	19:02	-	19:07	Fine	58.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		57.3		
	21:02	-	21:07		55.1		
12 Jan 2021	01:02	-	01:07	Fine	60.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		57.3		
	05:02	-	05:07		52.3		
18 Jan 2021	16:03	-	16:33	Sunny	58.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
18 Jan 2021	19:03	-	19:08	Fine	59.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.2		
	21:03	-	21:08		60.2		
19 Jan 2021	01:03	-	01:08	Fine	56.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		55.1		
	05:03	-	05:08		52.3		
25 Jan 2021	16:01	-	16:31	Sunny	59.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 Jan 2021	19:01	-	19:06	Fine	50.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		55.8		
	21:01	-	21:06		55.8		
26 Jan 2021	01:01	-	01:06	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		57.1		
	05:01	-	05:06		57.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 1, 8, 18, 22 February 2021 (Daytime)

1&2, 8&9, 18&19, 22&23 February 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Feb 2021	16:01	-	16:31	Sunny	58.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
1 Feb 2021	19:01	-	19:06	Fine	58.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		54.5		
	21:01	-	21:06		54.5		
2 Feb 2021	01:01	-	01:06	Fine	56.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.1		
	05:01	-	05:06		55.3		
8 Feb 2021	16:04	-	16:34	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
8 Feb 2021	19:04	-	19:09	Fine	54.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		54.5		
	21:04	-	21:09		53.9		
9 Feb 2021	01:04	-	01:09	Fine	55.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		51.2		
	05:04	-	05:09		51.3		
18 Feb 2021	16:01	-	16:31	Sunny	60.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
18 Feb 2021	19:01	-	19:06	Fine	60.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		61.2		
	21:01	-	21:06		59.8		
19 Feb 2021	01:01	-	01:06	Fine	58.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.3		
	05:01	-	05:06		56.8		
22 Feb 2021	16:03	-	16:34	Sunny	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
22 Feb 2021	19:03	-	19:08	Fine	55.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.6		
	21:03	-	21:08		54.4		
23 Feb 2021	01:03	-	01:08	Fine	49.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		46.2		
	05:03	-	05:08		47.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 1, 8, 15, 22, 29 March 2021 (Daytime)

1&2, 8&9, 15&16, 22&23, 29&30 March 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Mar 2021	16:00	-	16:30	Sunny	56.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
1 Mar 2021	19:00	-	19:05	Fine	56.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		55.6		
	21:00	-	21:05		56.1		
2 Mar 2021	01:00	-	01:05	Fine	59.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		45.6		
	05:00	-	05:05		56.8		
8 Mar 2021	16:04	-	16:34	Fine	55.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
8 Mar 2021	19:04	-	19:09	Fine	63.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		58.5		
	21:04	-	21:09		58.2		
9 Mar 2021	01:04	-	01:09	Fine	48.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		46.6		
	05:04	-	05:09		46.7		
15 Mar 2021	16:01	-	16:31	Sunny	60.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
15 Mar 2021	19:01	-	19:06	Fine	55.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.8		
	21:01	-	21:06		55.4		
16 Mar 2021	01:01	-	01:06	Fine	57.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.7		
	05:01	-	05:06		56.2		
22 Mar 2021	16:03	-	16:34	Sunny	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
22 Mar 2021	19:03	-	19:08	Fine	56.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.9		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
	21:03	-	21:08		57.5		
23 Mar 2021	01:03	-	01:08	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		56.0		
	05:03	-	05:08		54.4		
29 Mar 2021	16:02	-	16:32	Sunny	60.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
29 Mar 2021	19:02	-	19:07	Fine	56.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		54.3		
	21:02	-	21:07		52.1		
30 Mar 2021	01:02	-	01:07	Fine	55.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.1		
	05:02	-	05:07		57.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 4, 11, 18, 25 January 2021 (Daytime)

4&5, 11&12, 18&19, 25&26 January 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Jan 2021	16:03	-	16:33	Sunny	61.2	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
4 Jan 2021	19:03	-	19:08	Fine	54.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.4		
	21:03	-	21:08		60.3		
5 Jan 2021	01:03	-	01:08	Fine	59.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		54.5		
	05:03	-	05:08		53.2		
11 Jan 2021	16:05	-	16:35	Fine	59.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
11 Jan 2021	19:05	-	19:10	Fine	55.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		56.7		
	21:05	-	21:10		54.7		
12 Jan 2021	01:05	-	01:10	Fine	55.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		50.1		
	05:05	-	05:10		54.9		
18 Jan 2021	16:05	-	16:35	Sunny	57.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
18 Jan 2021	19:05	-	19:10	Fine	58.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		57.0		
	21:05	-	21:10		49.9		
19 Jan 2021	01:05	-	01:10	Fine	51.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		55.4		
	05:05	-	05:10		55.4		
25 Jan 2021	16:05	-	16:35	Sunny	57.4	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
25 Jan 2021	19:05	-	19:10	Fine	50.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.6		
	21:05	-	21:10		52.5		
26 Jan 2021	01:05	-	01:10	Fine	55.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		57.6		
	05:05	-	05:10		57.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 1, 8, 18, 22 February 2021 (Daytime)

1&2, 8&9, 18&19, 22&23 February 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Feb 2021	16:02	-	16:32	Sunny	60.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
1 Feb 2021	19:02	-	19:07	Fine	57.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		57.1		
	21:02	-	21:07		58.7		
2 Feb 2021	01:02	-	01:07	Fine	58.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		55.6		
	05:02	-	05:07		57.2		
8 Feb 2021	16:00	-	16:30	Fine	65.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
8 Feb 2021	19:00	-	19:05	Fine	65.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		66.6		
	21:00	-	21:05		64.9		
9 Feb 2021	01:00	-	01:05	Fine	61.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		63.6		
	05:00	-	05:05		61.3		
18 Feb 2021	16:03	-	16:34	Sunny	54.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
18 Feb 2021	19:03	-	19:08	Fine	57.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.1		
	21:03	-	21:08		57.9		
19 Feb 2021	01:03	-	01:08	Fine	52.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		52.4		
	05:03	-	05:08		53.9		
22 Feb 2021	16:01	-	16:31	Sunny	56.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
22 Feb 2021	19:01	-	19:06	Fine	50.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		52.6		
	21:01	-	21:06		54.4		
23 Feb 2021	01:01	-	01:06	Fine	49.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		47.0		
	05:01	-	05:06		48.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 1, 8, 15, 22, 29 March 2021 (Daytime)

1&2, 8&9, 15&16, 22&23, 29&30 March 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Mar 2021	16:02	-	16:32	Sunny	57.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
1 Mar 2021	19:02	-	19:07	Fine	55.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.0		
	21:02	-	21:07		55.4		
2 Mar 2021	01:02	-	01:07	Fine	58.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.8		
	05:02	-	05:07		56.8		
8 Mar 2021	16:00	-	16:30	Fine	55.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
8 Mar 2021	19:00	-	19:05	Fine	58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		58.6		
	21:00	-	21:05		56.8		
9 Mar 2021	01:00	-	01:05	Fine	50.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		48.4		
	05:00	-	05:05		46.6		
15 Mar 2021	16:02	-	16:32	Sunny	57.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
15 Mar 2021	19:02	-	19:07	Fine	57.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.5		
	21:02	-	21:07		52.7		
16 Mar 2021	01:02	-	01:07	Fine	44.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		44.6		
	05:02	-	05:07		42.9		
22 Mar 2021	16:03	-	16:34	Sunny	55.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
22 Mar 2021	19:03	-	19:08	Fine	56.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.1		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
	21:03	-	21:08		50.5		
23 Mar 2021	01:03	-	01:08	Fine	48.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.8		
	05:03	-	05:08		54.6		
29 Mar 2021	16:04	-	16:34	Sunny	58.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
29 Mar 2021	19:04	-	19:09	Fine	53.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		53.1		
	21:04	-	21:09		51.9		
30 Mar 2021	01:04	-	01:09	Fine	51.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		52.0		
	05:04	-	05:09		53.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 4, 11, 18, 25 January 2021 (Daytime)

4&5, 11&12, 18&19, 25&26 January 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Jan 2021	16:04	-	16:34	Sunny	60.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
4 Jan 2021	19:04	-	19:09	Fine	47.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:04	-	20:09		52.2		
	21:04	-	21:09		58.5		
5 Jan 2021	01:04	-	01:09	Fine	60.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:04	-	03:09		54.5		
	05:04	-	05:09		52.2		
11 Jan 2021	16:04	-	16:34	Fine	62.1	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
11 Jan 2021	19:04	-	19:09	Fine	59.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:04	-	20:09		59.9		
	21:04	-	21:09		60.0		
12 Jan 2021	01:04	-	01:09	Fine	62.1	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:04	-	03:09		49.3		
	05:04	-	05:09		47.8		
18 Jan 2021	16:01	-	16:31	Sunny	57.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
18 Jan 2021	19:01	-	19:06	Fine	58.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:01	-	20:06		48.7		
	21:01	-	21:06		43.0		
19 Jan 2021	01:01	-	01:06	Fine	55.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:01	-	03:06		59.3		
	05:01	-	05:06		55.4		
25 Jan 2021	16:02	-	16:32	Sunny	55.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 Jan 2021	19:02	-	19:07	Fine	54.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.4		
	21:02	-	21:07		59.9		
26 Jan 2021	01:02	-	01:07	Fine	56.5	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:02	-	03:07		56.5		
	05:02	-	05:07		48.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 1, 8, 18, 22 February 2021 (Daytime)

1&2, 8&9, 18&19, 22&23 February 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Feb 2021	16:04	-	16:34	Sunny	55.6	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
1 Feb 2021	19:04	-	19:09	Fine	54.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.6		
	21:04	-	21:09		56.5		
2 Feb 2021	01:04	-	01:09	Fine	55.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:04	-	03:09		55.1		
	05:04	-	05:09		55.9		
8 Feb 2021	16:03	-	16:34	Fine	57.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
8 Feb 2021	19:03	-	19:08	Fine	55.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.7		
	21:03	-	21:08		54.9		
9 Feb 2021	01:03	-	01:08	Fine	58.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		57.7		
	05:03	-	05:08		55.0		
18 Feb 2021	16:01	-	16:31	Sunny	57.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
18 Feb 2021	19:01	-	19:06	Fine	56.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.1		
	21:01	-	21:06		56.4		
19 Feb 2021	01:01	-	01:06	Fine	56.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		57.2		
	05:01	-	05:06		53.8		
22 Feb 2021	16:02	-	16:32	Sunny	57.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)