



Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none">• Placing Rock Filter• Reclamation Works• PVD Remedial Works• Installation of Settlement Markers	<ul style="list-style-type: none">• Completed• On-going• On-going• On-going
Seawall portion	<ul style="list-style-type: none">• Installation of caisson• Installation of Chinese Pod	<ul style="list-style-type: none">• On-going• On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 9, 12, 19, 26 April 2021 (Daytime)

9&10, 12&13, 19&20, 26&27 April 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
9 Apr 2021	16:00	-	16:30	Cloudy	60.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
9 Apr 2021	19:00	-	19:05	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		57.7		
	21:00	-	21:05		56.2		
10 Apr 2021	01:00	-	01:05	Fine	54.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		52.8		
	05:00	-	05:05		54.5		
12 Apr 2021	16:04	-	16:34	Cloudy	63.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
12 Apr 2021	19:04	-	19:09	Fine	61.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		59.6		
	21:04	-	21:09		58.1		
13 Apr 2021	01:04	-	01:09	Fine	53.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		55.8		
	05:04	-	05:09		50.2		
19 Apr 2021	16:01	-	16:31	Cloudy	63.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
19 Apr 2021	19:01	-	19:06	Fine	60.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		62.7		
	21:01	-	21:06		61.8		
20 Apr 2021	01:01	-	01:06	Fine	60.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		58.7		
	05:01	-	05:06		55.1		
26 Apr 2021	16:03	-	16:34	Cloudy	60.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
26 Apr 2021	19:03	-	19:08	Fine	56.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		57.9		
	21:03	-	21:08		55.1		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 Apr 2021	01:01	-	01:06	Fine	53.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		50.2		
	05:01	-	05:06		58.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:02	-	16:32	Cloudy	57.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
3 May 2021	19:02	-	19:07	Fine	54.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.2		
	21:02	-	21:07		55.4		
4 May 2021	01:02	-	01:07	Fine	57.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.6		
	05:02	-	05:07		57.6		
10 May 2021	16:04	-	16:34	Sunny	54.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
10 May 2021	19:04	-	19:09	Fine	56.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.4		
	21:04	-	21:09		54.0		
11 May 2021	01:04	-	01:09	Fine	50.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		56.6		
	05:04	-	05:09		54.8		
17 May 2021	16:02	-	16:32	Sunny	59.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
17 May 2021	19:02	-	19:07	Fine	53.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.4		
	21:02	-	21:07		51.5		
18 May 2021	01:02	-	01:07	Fine	54.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		52.6		
	05:02	-	05:07		51.7		
24 May 2021	16:03	-	16:33	Cloudy	57.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
24 May 2021	19:03	-	19:08	Fine	55.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.4		
	21:03	-	21:08		55.0		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 May 2021	01:03	-	01:08	Fine	58.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		55.3		
	05:03	-	05:08		58.6		
30 May 2021	16:01	-	16:31	Cloudy	58.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
30 May 2021	19:01	-	19:06	Fine	56.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.4		
	21:01	-	21:06		55.1		
1 June 2021	01:01	-	01:06	Fine	58.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.3		
	05:01	-	05:06		60.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 7, 15, 21, 29 June 2021 (Daytime)

7&8, 15&16, 21&22, 29&30 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 June 2021	16:01	-	16:31	Sunny	66.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
7 June 2021	19:01	-	19:06	Fine	63.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		60.1		
	21:01	-	21:06		61.5		
8 June 2021	01:01	-	01:06	Fine	61.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.4		
	05:01	-	05:06		57.8		
15 June 2021	16:04	-	16:34	Cloudy	62.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
15 June 2021	19:04	-	19:09	Fine	67.4	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		55.5		
	21:04	-	21:09		58.0		
16 June 2021	01:04	-	01:09	Fine	59.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		59.9		
	05:04	-	05:09		53.0		
21 June 2021	16:00	-	16:30	Cloudy	59.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
21 June 2021	19:00	-	19:05	Fine	63.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		59.5		
	21:00	-	21:05		55.1		
22 June 2021	01:00	-	01:05	Fine	56.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		52.7		
	05:00	-	05:05		55.7		
29 June 2021	16:03	-	16:33	Cloudy	65.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
29 June 2021	19:03	-	19:08	Fine	61.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		59.2		
	21:03	-	21:08		60.1		

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
30 June 2021	01:03	-	01:08	Fine	58.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		56.3		
	05:03	-	05:08		55.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 9, 12, 19, 26 April 2021 (Daytime)

9&10, 12&13, 19&20, 26&27 April 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
9 Apr 2021	16:00	-	16:30	Cloudy	57.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
9 Apr 2021	19:00	-	19:05	Fine	55.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:00	-	20:05		51.1		
	21:00	-	21:05		53.2		
10 Apr 2021	01:00	-	01:05	Fine	51.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:00	-	03:05		52.9		
	05:00	-	05:05		53.9		
12 Apr 2021	16:04	-	16:34	Cloudy	60.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
12 Apr 2021	19:04	-	19:09	Fine	57.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.3		
	21:04	-	21:09		57.1		
13 Apr 2021	01:04	-	01:09	Fine	48.6	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:04	-	03:09		50.8		
	05:04	-	05:09		49.6		
19 Apr 2021	16:01	-	16:31	Cloudy	62.3	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
19 Apr 2021	19:01	-	19:06	Fine	61.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:01	-	20:06		63.4		
	21:01	-	21:06		64.3		
20 Apr 2021	01:01	-	01:06	Fine	58.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:01	-	03:06		59.3		
	05:01	-	05:06		60.5		
26 Apr 2021	16:03	-	16:34	Cloudy	62.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
26 Apr 2021	19:03	-	19:08	Fine	60.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:03	-	20:08		61.8		
	21:03	-	21:08		55.2		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 Apr 2021	01:01	-	01:06	Fine	57.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.6		
	05:01	-	05:06		55.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:02	-	16:32	Cloudy	58.9	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
3 May 2021	19:02	-	19:07	Fine	62.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		60.4		
	21:02	-	21:07		59.7		
4 May 2021	01:02	-	01:07	Fine	56.9	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		58.9		
	05:02	-	05:07		58.4		
10 May 2021	16:02	-	16:32	Sunny	62.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
10 May 2021	19:02	-	19:07	Fine	57.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.5		
	21:02	-	21:07		63.0		
11 May 2021	01:02	-	01:07	Fine	49.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		55.8		
	05:02	-	05:07		57.7		
17 May 2021	16:04	-	16:34	Sunny	60.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
17 May 2021	19:04	-	19:09	Fine	59.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:04	-	20:09		53.4		
	21:04	-	21:09		58.8		
18 May 2021	01:04	-	01:09	Fine	55.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:04	-	03:09		51.6		
	05:04	-	05:09		51.0		
24 May 2021	16:02	-	16:32	Cloudy	61.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
24 May 2021	19:02	-	19:07	Fine	59.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		60.7		
	21:02	-	21:07		58.0		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 May 2021	01:02	-	01:07	Fine	58.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		59.9		
	05:02	-	05:07		58.7		
30 May 2021	16:04	-	16:34	Cloudy	58.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
30 May 2021	19:04	-	19:09	Fine	58.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:04	-	20:09		55.6		
	21:04	-	21:09		53.3		
1 June 2021	01:04	-	01:09	Fine	58.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:04	-	03:09		54.5		
	05:04	-	05:09		56.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 7, 15, 21, 29 June 2021 (Daytime)
 7&8, 15&16, 21&22, 29&30 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
 construction activities from
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 June 2021	16:05	-	16:35	Sunny	61.4	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
7 June 2021	19:05	-	19:10	Fine	64.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:05	-	20:10		56.1		
	21:05	-	21:10		57.1		
8 June 2021	01:05	-	01:10	Fine	54.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:05	-	03:10		52.4		
	05:05	-	05:10		50.7		
15 June 2021	16:02	-	16:32	Cloudy	63.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
15 June 2021	19:02	-	19:07	Fine	60.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		58.4		
	21:02	-	21:07		57.2		
16 June 2021	01:02	-	01:07	Fine	57.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.8		
	05:02	-	05:07		55.6		
21 June 2021	16:03	-	16:33	Cloudy	59.4	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
21 June 2021	19:03	-	19:08	Fine	60.9	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.5		
	21:03	-	21:08		54.0		
22 June 2021	01:03	-	01:08	Fine	59.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:03	-	03:08		52.6		
	05:03	-	05:08		53.9		
29 June 2021	16:03	-	16:33	Cloudy	58.6	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
29 June 2021	19:03	-	19:08	Fine	55.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.0		
	21:03	-	21:08		51.4		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 June 2021	01:03	-	01:08	Fine	56.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:03	-	03:08		57.0		
	05:03	-	05:08		53.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 9, 12, 19, 26 April 2021 (Daytime)

9&10, 12&13, 19&20, 26&27 April 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
9 Apr 2021	16:00	-	16:30	Sunny	58.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
9 Apr 2021	19:00	-	19:05	Fine	56.2	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:00	-	20:05		54.3		
	21:00	-	21:05		55.3		
10 Apr 2021	01:00	-	01:05	Fine	52.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:00	-	03:05		53.3		
	05:00	-	05:05		52.1		
12 Apr 2021	16:04	-	16:34	Fine	64.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
12 Apr 2021	19:04	-	19:09	Fine	62.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:04	-	20:09		59.3		
	21:04	-	21:09		57.6		
13 Apr 2021	01:04	-	01:09	Fine	50.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:04	-	03:09		52.1		
	05:04	-	05:09		49.6		
19 Apr 2021	16:01	-	16:31	Sunny	64.2	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
19 Apr 2021	19:01	-	19:06	Fine	62.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		64.5		
	21:01	-	21:06		63.7		
20 Apr 2021	01:01	-	01:06	Fine	58.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		52.4		
	05:01	-	05:06		52.2		
26 Apr 2021	16:03	-	16:34	Sunny	64.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
26 Apr 2021	19:03	-	19:08	Fine	61.6	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		59.8		
	21:03	-	21:08		55.4		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 Apr 2021	01:01	-	01:06	Fine	56.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.9		
	05:01	-	05:06		55.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:04	-	16:34	Cloudy	62.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
3 May 2021	19:04	-	19:09	Fine	61.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:04	-	20:09		60.4		
	21:04	-	21:09		59.8		
4 May 2021	01:04	-	01:09	Fine	58.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:04	-	03:09		58.9		
	05:04	-	05:09		55.4		
10 May 2021	16:03	-	16:33	Sunny	57.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
10 May 2021	19:03	-	19:08	Fine	58.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.5		
	21:03	-	21:08		57.2		
11 May 2021	01:03	-	01:08	Fine	54.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.2		
	05:03	-	05:08		55.9		
17 May 2021	16:03	-	16:34	Sunny	58.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
17 May 2021	19:03	-	19:08	Fine	57.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.3		
	21:03	-	21:08		56.9		
18 May 2021	01:03	-	01:08	Fine	55.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		55.6		
	05:03	-	05:08		54.3		
24 May 2021	16:03	-	16:33	Cloudy	57.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
24 May 2021	19:03	-	19:08	Fine	58.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.0		
	21:03	-	21:08		54.1		

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
25 May 2021	01:03	-	01:08	Fine	57.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		54.5		
	05:03	-	05:08		55.7		
30 May 2021	16:02	-	16:32	Cloudy	59.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
30 May 2021	19:02	-	19:07	Fine	61.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		54.5		
	21:02	-	21:07		52.9		
1 June 2021	01:02	-	01:07	Fine	58.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		56.2		
	05:02	-	05:07		57.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 7, 15, 21, 29 June 2021 (Daytime)

7&8, 15&16, 21&22, 29&30 June 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
7 June 2021	16:02	-	16:32	Sunny	56.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
7 June 2021	19:02	-	19:07	Fine	58.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		50.2		
	21:02	-	21:07		49.2		
8 June 2021	01:02	-	01:07	Fine	48.6	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.2		
	05:02	-	05:07		43.1		
15 June 2021	16:01	-	16:31	Cloudy	58.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
15 June 2021	19:01	-	19:06	Fine	58.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		50.2		
	21:01	-	21:06		52.5		
16 June 2021	01:01	-	01:06	Fine	52.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		52.3		
	05:01	-	05:06		51.8		
21 June 2021	16:02	-	16:32	Cloudy	62.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
21 June 2021	19:02	-	19:07	Fine	58.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.9		
	21:02	-	21:07		54.3		
22 June 2021	01:02	-	01:07	Fine	58.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		51.7		
	05:02	-	05:07		52.8		
29 June 2021	16:02	-	16:32	Cloudy	56.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
29 June 2021	19:02	-	19:07	Fine	61.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		53.3		
	21:02	-	21:07		50.5		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 June 2021	01:02	-	01:07	Fine	52.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		48.2		
	05:02	-	05:07		49.9		