



Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none"> • Reclamation Works • PVD Remedial Works • Installation of Settlement Markers • Site Investigation works for foundation • Foundation works 	<ul style="list-style-type: none"> • On-going • On-going • On-going • On-going • On-going
Seawall portion	<ul style="list-style-type: none"> • Installation of caisson • Installation of Chinese Pod • Caisson extension works, from +3mPD to +6mPD, at Seawall A and B 	<ul style="list-style-type: none"> • On-going • On-going • On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 5, 12, 22, 26 July 2021 (Daytime)
5&6, 12&13, 22&23, 26&27 July 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
5 July 2021	16:04	-	16:34	Fine	60.2	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
5 July 2021	19:04	-	19:09	Fine	60.4	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	20:04	-	20:09		61.0		
	21:04	-	21:09		61.4		
6 July 2021	01:04	-	01:09	Fine	52.3	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	03:04	-	03:09		52.8		
	05:04	-	05:09		55.5		
12 July 2021	16:00	-	16:30	Sunny	60.8	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
12 July 2021	19:00	-	19:05	Fine	62.2	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	20:00	-	20:05		61.3		
	21:00	-	21:05		63.0		
13 July 2021	01:00	-	01:05	Fine	59.5	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	03:00	-	03:05		56.1		
	05:00	-	05:05		54.8		
22 July 2021	16:02	-	16:32	Sunny	57.8	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
22 July 2021	19:02	-	19:07	Fine	56.2	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	20:02	-	20:07		57.1		
	21:02	-	21:07		60.1		
23 July 2021	01:02	-	01:07	Fine	56.2	XL2 (Serial No. A2A-13548-E0)	Svante SV33B (No. 83042)
	03:02	-	03:07		55.8		
	05:02	-	05:07		54.3		
26 July 2021	16:04	-	16:34	Sunny	57.0	XL2 (Serial No. A2A-13661-E0)	Svante SV33B (No. 83042)
26 July 2021	19:04	-	19:09	Fine	52.2	XL2 (Serial No. A2A-13661-E0)	Svante SV33B (No. 83042)
	20:04	-	20:09		55.9		
	21:04	-	21:09		55.5		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 July 2021	01:04	-	01:09	Fine	55.0	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:04	-	03:09		54.6		
	05:04	-	05:09		56.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 2, 9, 16, 23, 30 August 2021 (Daytime)

2&3, 9&10, 16&17, 23&24, 30&31 August 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Aug 2021	16:02	-	16:32	Fine	58.3	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
2 Aug 2021	19:02	-	19:07	Fine	54.2	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:02	-	20:07		52.0		
	21:02	-	21:07		53.2		
3 Aug 2021	01:02	-	01:07	Fine	51.9	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:02	-	03:07		49.3		
	05:02	-	05:07		49.6		
9 Aug 2021	16:00	-	16:30	Sunny	58.2	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
9 Aug 2021	19:00	-	19:05	Fine	51.8	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:00	-	20:05		55.6		
	21:00	-	21:05		53.6		
10 Aug 2021	01:00	-	01:05	Fine	53.1	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:00	-	03:05		52.6		
	05:50	-	05:55		51.8		
16 Aug 2021	16:03	-	16:33	Fine	55.6	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
16 Aug 2021	19:03	-	19:08	Fine	56.6	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:23	-	20:28		55.2		
	21:43	-	21:48		55.4		
17 Aug 2021	01:03	-	01:09	Fine	48.9	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:18	-	03:23		54.0		
	06:13	-	06:18		53.9		
23 Aug 2021	16:05	-	16:35	Sunny	54.5	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
23 Aug 2021	19:27	-	19:32	Fine	59.6	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:05	-	20:10		58.2		
	21:10	-	21:15		59.2		
24 Aug 2021	01:10	-	01:15	Fine	50.0	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:20	-	03:25		50.0		
	05:05	-	05:10		45.7		

Date	Start time		End time	Weather	L_{eq} 30min dB(A) / L_{eq} 5min dB(A)	Sound Level Meter Used	Calibrator Used
30 Aug 2021	16:12	-	16:42	Sunny	57.2	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
30 Aug 2021	19:27	-	19:32	Fine	59.6	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:17	-	20:22		53.3		
	21:02	-	21:07		52.7		
31 Aug 2021	01:02	-	01:07	Fine	44.7	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:22	-	03:27		44.7		
	05:07	-	05:12		46.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 6, 13, 20, 27 September 2021 (Daytime)

6&7, 13&14, 20&21, 27&28 September 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Sep 2021	14:21	-	14:51	Fine	56.8	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
6 Sep 2021	19:06	-	19:11	Fine	57.7	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	20:06	-	20:11		58.8		
	21:06	-	21:11		58.8		
7 Sep 2021	01:06	-	01:11	Fine	56.9	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	03:06	-	03:11		55.9		
	05:11	-	05:16		55.1		
13 Sep 2021	14:09	-	14:14	Fine	58.3	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
13 Sep 2021	19:04	-	19:09	Fine	53.6	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	20:04	-	20:09		55.0		
	21:14	-	21:19		54.5		
14 Sep 2021	01:34	-	01:39	Fine	51.8	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	03:24	-	03:29		52.1		
	05:29	-	05:34		51.7		
20 Sep 2021	13:27	-	13:57	Sunny	58.2	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
20 Sep 2021	19:02	-	19:07	Fine	54.0	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	20:02	-	20:07		52.3		
	21:32	-	21:37		52.6		
21 Sep 2021	01:32	-	01:37	Fine	51.4	XL2 (Serial No. A2A-13548-E0)	Svantek SV33B (No. 83042)
	03:32	-	03:37		51.5		
	05:12	-	05:17		52.5		
27 Sep 2021 ^[1]							
27 Sep 2021 ^[1]							
28 Sep 2021 ^[1]							

Note: [1] The data is discarded because of the validity of the impact noise monitoring at M1 on 27 and 28 Sep 2021.

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 5, 12, 22, 26 July 2021 (Daytime)
 5&6, 12&13, 22&23, 26&27 July 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
 construction activities from
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
5 July 2021	16:03	-	16:33	Fine	60.2	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
5 July 2021	19:03	-	19:08	Fine	64.7	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	20:03	-	20:08		65.8		
	21:03	-	21:08		59.1		
6 July 2021	01:03	-	01:08	Fine	51.6	XL2 (Serial No. A2A-13661-E0)	Svantek SV33B (No. 83042)
	03:03	-	03:08		52.9		
	05:03	-	05:08		53.7		
12 July 2021	16:01	-	16:31	Sunny	58.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
12 July 2021	19:01	-	19:06	Fine	60.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:01	-	20:06		59.9		
	21:01	-	21:06		60.0		
13 July 2021	01:01	-	01:06	Fine	55.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:01	-	03:06		54.6		
	05:01	-	05:06		54.3		
22 July 2021	16:03	-	16:33	Sunny	57.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
22 July 2021	19:03	-	19:08	Fine	60.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:03	-	20:08		59.0		
	21:03	-	21:08		57.1		
23 July 2021	01:03	-	01:08	Fine	55.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:03	-	03:08		56.8		
	05:03	-	05:08		56.3		
26 July 2021	16:01	-	16:31	Sunny	57.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
26 July 2021	19:01	-	19:06	Fine	57.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:01	-	20:06		57.0		
	21:01	-	21:06		56.0		

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
27 July 2021	01:01	-	01:06	Fine	55.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:01	-	03:06		55.4		
	05:01	-	05:06		54.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 2, 9, 16, 23, 30 August 2021 (Daytime)

2&3, 9&10, 16&17, 23&24, 30&31 August 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Aug 2021	13:34	-	14:04	Fine	55.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
2 Aug 2021	19:44	-	19:49	Fine	55.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:14	-	20:19		55.3		
	21:14	-	21:19		54.7		
3 Aug 2021	01:29	-	01:34	Fine	52.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:29	-	03:34		51.1		
	05:04	-	05:09		52.8		
9 Aug 2021	14:06	-	14:36	Sunny	56.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
9 Aug 2021	19:06	-	19:11	Fine	55.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:41	-	20:46		55.1		
	21:51	-	21:56		55.1		
10 Aug 2021	01:06	-	01:11	Fine	51.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:06	-	03:11		51.5		
	05:26	-	05:31		55.5		
16 Aug 2021	14:13	-	14:43	Fine	59.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
16 Aug 2021	19:18	-	19:23	Fine	56.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:28	-	20:33		57.0		
	21:13	-	21:18		57.9		
17 Aug 2021	01:23	-	01:28	Fine	54.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	02:03	-	02:08		55.2		
	02:43	-	02:48		53.8		
23 Aug 2021	13:26	-	13:56	Sunny	60.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
23 Aug 2021	19:21	-	19:26	Fine	54.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:11	-	20:16		54.9		
	21:01	-	21:06		55.2		
24 Aug 2021	01:01	-	01:06	Fine	56.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:11	-	03:16		54.3		
	05:21	-	05:26		56.6		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 Aug 2021	15:45	-	16:15	Sunny	55.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
30 Aug 2021	19:15	-	19:20	Fine	55.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:05	-	20:10		56.7		
	21:00	-	21:05		56.4		
31 Aug 2021	02:10	-	02:15	Fine	58.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	04:35	-	04:40		57.6		
	05:05	-	05:10		54.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 6, 13, 20, 27 September 2021 (Daytime)

6&7, 13&14, 20&21, 27&28 September 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Sep 2021	14:18	-	14:48	Fine	55.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
6 Sep 2021	19:08	-	19:13	Fine	52.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:18	-	20:23		57.0		
	21:03	-	21:08		53.7		
7 Sep 2021	01:13	-	01:18	Fine	52.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:13	-	03:18		52.7		
	05:28	-	05:33		52.6		
13 Sep 2021	14:00	-	14:30	Fine	56.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
13 Sep 2021	19:05	-	19:10	Fine	54.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:00	-	20:05		55.6		
	21:05	-	21:10		55.7		
14 Sep 2021	01:10	-	01:15	Fine	52.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:05	-	03:10		55.0		
	04:55	-	05:00		52.6		
20 Sep 2021	14:06	-	14:36	Sunny	56.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
20 Sep 2021	19:16	-	19:21	Fine	54.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:06	-	20:11		55.5		
	21:21	-	21:26		52.5		
21 Sep 2021	01:16	-	01:21	Fine	50.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:11	-	03:16		49.7		
	05:06	-	05:11		50.8		
27 Sep 2021	14:21	-	14:51	Fine	56.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
27 Sep 2021	19:31	-	19:36	Fine	54.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:01	-	20:06		54.7		
	21:05	-	21:11		54.0		
28 Sep 2021	01:26	-	01:31	Fine	51.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	02:56	-	03:01		50.3		
	05:11	-	05:16		50.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 5, 12, 22, 26 July 2021 (Daytime)

5&6, 12&13, 22&23, 26&27 July 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
5 July 2021	16:03	-	16:33	Fine	57.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
5 July 2021	19:03	-	19:08	Fine	60.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:03	-	20:08		52.0		
	21:03	-	21:08		56.8		
6 July 2021	01:03	-	01:08	Fine	58.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:03	-	03:08		51.3		
	05:03	-	05:08		49.4		
12 July 2021	16:01	-	16:31	Sunny	57.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
12 July 2021	19:01	-	19:06	Fine	57.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:01	-	20:06		57.6		
	21:01	-	21:06		59.1		
13 July 2021	01:01	-	01:06	Fine	60.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:01	-	03:06		51.5		
	05:01	-	05:06		54.9		
22 July 2021	16:00	-	16:30	Sunny	56.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
22 July 2021	19:00	-	19:05	Fine	56.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:00	-	20:05		58.4		
	21:00	-	21:05		62.4		
23 July 2021	01:00	-	01:05	Fine	55.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:00	-	03:05		53.0		
	05:00	-	05:05		55.0		
26 July 2021	16:00	-	16:30	Sunny	57.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
26 July 2021	19:00	-	19:05	Fine	51.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:00	-	20:05		50.5		
	21:00	-	21:05		53.4		

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
27 July 2021	01:00	-	01:05	Fine	57.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:00	-	03:05		51.5		
	05:00	-	05:05		50.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 2, 9, 16, 23, 30 August 2021 (Daytime)

2&3, 9&10, 16&17, 23&24, 30&31 August 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Aug 2021	13:18	-	13:48	Fine	53.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
2 Aug 2021	19:03	-	19:08	Fine	51.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:18	-	20:23		57.1		
	21:08	-	21:13		50.9		
3 Aug 2021	01:03	-	01:08	Fine	55.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	01:33	-	01:38		56.2		
	03:28	-	03:33		45.1		
9 Aug 2021	16:20	-	16:52	Sunny	57.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
9 Aug 2021	19:02	-	19:07	Fine	59.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:22	-	20:27		56.7		
	21:27	-	21:32		52.6		
10 Aug 2021	01:07	-	01:12	Fine	47.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:37	-	03:42		46.9		
	06:12	-	06:17		54.0		
16 Aug 2021	15:14	-	15:44	Fine	57.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
16 Aug 2021	19:29	-	19:34	Fine	52.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:39	-	20:44		51.0		
	21:14	-	21:19		55.6		
17 Aug 2021	01:09	-	01:14	Fine	55.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:09	-	03:14		51.0		
	05:04	-	05:09		57.1		
23 Aug 2021	16:00	-	16:30	Sunny	58.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
23 Aug 2021	19:00	-	19:05	Fine	53.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:10	-	20:15		47.8		
	21:30	-	21:35		47.5		
24 Aug 2021	01:05	-	01:10	Fine	42.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:25	-	03:30		41.5		
	05:05	-	05:10		45.2		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 Aug 2021	15:20	-	15:50	Sunny	55.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
30 Aug 2021	19:15	-	19:20	Fine	44.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:15	-	20:20		43.7		
	21:10	-	21:15		48.1		
31 Aug 2021	01:05	-	01:10	Fine	49.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:10	-	03:15		52.3		
	05:00	-	05:05		48.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 6, 13, 20, 27 September 2021 (Daytime)

6&7, 13&14, 20&21, 27&28 September 2021 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Sep 2021	14:21	-	14:51	Fine	58.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
6 Sep 2021	19:01	-	19:06	Fine	55.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:01	-	20:06		47.8		
	21:01	-	21:06		50.5		
7 Sep 2021	01:01	-	01:06	Fine	47.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:11	-	03:16		47.1		
	05:16	-	05:21		47.6		
13 Sep 2021	14:17	-	14:47	Fine	58.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
13 Sep 2021	19:02	-	19:07	Fine	54.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:02	-	20:07		54.5		
	21:22	-	21:27		54.2		
14 Sep 2021	01:12	-	01:17	Fine	44.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	03:27	-	03:32		46.5		
	05:02	-	05:07		46.5		
20 Sep 2021	14:24	-	14:54	Sunny	60.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
20 Sep 2021	19:39	-	19:44	Fine	58.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:19	-	20:24		56.5		
	21:14	-	21:19		53.1		
21 Sep 2021	01:34	-	01:39	Fine	52.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	03:14	-	03:19		52.7		
	05:39	-	05:44		53.0		
27 Sep 2021	14:58	-	15:28	Fine	55.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
27 Sep 2021	19:08	-	19:13	Fine	52.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:18	-	20:23		48.9		
	21:03	-	21:08		44.7		
28 Sep 2021	1:08	-	1:13	Fine	49.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:18	-	3:23		49.8		
	5:43	-	5:48		49.5		