



Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none"> • Reclamation works • PVD Remedial works • Installation of Instrumentation • Site Investigation works for foundation • Foundation works (including Driven H Pile, Socketed H Pile and Bored Pile) • Pile cap construction 	<ul style="list-style-type: none"> • On-going • On-going • On-going • On-going • On-going • On-going
Seawall portion	<ul style="list-style-type: none"> • Installation of caisson • Installation of Chinese Pod • Caisson extension works, from +3mPD to +6mPD, at Seawall A and B • Construction of wave wall along the vertical seawall 	<ul style="list-style-type: none"> • On-going • On-going • On-going • On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 3, 10, 17, 24 January 2022 (Daytime)

3&4, 10&11, 17&18, 24&25 January 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Grass mowing on 10 January 2022 morning

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Jan 2022	11:03	-	11:33	Fine	60.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
3 Jan 2022	19:03	-	19:08	Fine	47.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:13	-	20:18		46.1		
	21:23	-	21:28		48.1		
4 Jan 2022	1:08	-	1:13	Fine	44.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:28	-	3:33		43.3		
	5:28	-	5:33		46.5		
10 Jan 2022	10:42	-	11:12	Fine	72.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
10 Jan 2022	19:02	-	19:07	Fine	52.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:07	-	20:12		46.7		
	21:02	-	21:07		47.5		
11 Jan 2022	1:02	-	1:07	Fine	44.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:12	-	3:17		40.8		
	5:17	-	5:22		43.2		
17 Jan 2022	11:35	-	12:05	Fine	58.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
17 Jan 2022	19:05	-	19:10	Fine	45.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:20	-	20:25		45.7		
	21:15	-	21:20		47.7		
18 Jan 2022	1:10	-	1:15	Fine	44.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:25	-	3:30		44.2		
	5:10	-	5:15		44.1		
24 Jan 2022	13:18	-	13:48	Fine	54.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
24 Jan 2022	19:03	-	19:08	Fine	45.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:03	-	20:08		49.9		
	21:08	-	21:13		43.5		
25 Jan 2022	1:18	-	1:23	Fine	42.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:18	-	3:23		40.9		
	5:33	-	5:38		42.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 4, 7, 15, 21 February 2022 (Daytime)
 4&5, 7&8, 15&16, 21&22 February 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
 construction activities from
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Feb 2022	13:02	-	13:32	Fine	55.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
4 Feb 2022	19:02	-	19:07	Fine	42.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:12	-	20:17		47.6		
	21:07	-	21:12		47.9		
5 Feb 2022	1:17	-	1:22	Fine	46.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:12	-	3:17		46.4		
	5:17	-	5:22		42.2		
7 Feb 2022	11:30	-	12:00	Cloudy	62.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
7 Feb 2022	19:05	-	19:10	Fine	50.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:20	-	20:25		44.4		
	21:10	-	21:15		45.9		
8 Feb 2022	1:15	-	1:20	Fine	44.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:10	-	3:15		44.4		
	5:10	-	5:15		43.9		
15 Feb 2022	11:00	-	11:30	Cloudy	60.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
15 Feb 2022	19:25	-	19:30	Fine	57.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:25	-	20:30		49.9		
	21:25	-	21:30		47.7		
16 Feb 2022	1:10	-	1:15	Fine	45.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:10	-	3:15		44.4		
	5:05	-	5:10		45.4		
21 Feb 2022	13:08	-	13:38	Cloudy	57.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
21 Feb 2022	19:03	-	19:08	Fine	48.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:08	-	20:13		49.3		
	21:03	-	21:08		50.6		
22 Feb 2022	1:23	-	1:28	Fine	49.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:18	-	3:23		44.7		
	5:18	-	5:23		49.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 2, 7, 14, 22, 28 March 2022 (Daytime)

2&3, 7&8, 14&15, 22&23, 28&29 March 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Mar 2022	13:49	-	14:19	Sunny	64.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
2 Mar 2022	19:24	-	19:29	Fine	48.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:09	-	20:14		47.8		
	21:24	-	21:29		48.1		
3 Mar 2022	1:04	-	1:09	Fine	46.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:24	-	3:29		46.1		
	5:14	-	5:19		46.7		
7 Mar 2022	12:43	-	13:13	Fine	56.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
7 Mar 2022	19:08	-	19:13	Fine	49.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:08	-	20:13		48.9		
	21:28	-	21:33		48.6		
8 Mar 2022	1:08	-	1:13	Fine	40.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:08	-	3:13		41.8		
	5:08	-	5:13		39.3		
14 Mar 2022	13:02	-	13:32	Fine	62.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
14 Mar 2022	19:07	-	19:12	Fine	47.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	20:07	-	20:12		48.3		
	21:12	-	21:17		48.2		
15 Mar 2022	1:12	-	1:17	Fine	48.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No. 83042)
	3:12	-	3:17		41.9		
	5:17	-	5:22		45.1		
22 Mar 2022	13:18	-	13:48	Fine	64.9	SVAN 971 (Serial No. 96062)	Pulsar Model 105 (No. 63705)
22 Mar 2022	19:13	-	19:18	Fine	50.5	SVAN 971 (Serial No. 96062)	Pulsar Model 105 (No. 63705)
	20:13	-	20:18		46.1		
	21:13	-	21:18		48.9		
23 Mar 2022	1:18	-	1:23	Fine	48.1	SVAN 971 (Serial No. 96062)	Pulsar Model 105 (No. 63705)
	3:13	-	3:18		47.4		
	5:18	-	5:23		45.1		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
28 Mar 2022	13:40	-	14:10	Cloudy	60.8	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
28 Mar 2022	19:10	-	19:15	Fine	45.8	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	20:25	-	20:30		44.1		
	21:15	-	21:20		43.7		
29 Mar 2022	1:20	-	1:25	Fine	42.4	SVAN 971 (Serial No. 96063)	Casella CEL-120-1 (No.5007536)
	3:05	-	3:10		42.5		
	5:20	-	5:25		44.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 3, 10, 17, 24 January 2022 (Daytime)

3&4, 10&11, 17&18, 24&25 January 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
 construction activities from
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Jan 2022	11:19	-	11:49	Fine	56.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
3 Jan 2022	19:04	-	19:09	Fine	49.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:09	-	20:14		49.8		
	21:19	-	21:24		48.6		
4 Jan 2022	1:34	-	1:39	Fine	45.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:14	-	3:19		45.8		
	5:19	-	5:24		44.8		
10 Jan 2022	10:52	-	11:22	Fine	57.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
10 Jan 2022	19:02	-	19:07	Fine	52.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:12	-	20:17		50.7		
	21:17	-	21:22		48.8		
11 Jan 2022	2:12	-	2:17	Fine	48.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:07	-	3:12		51.6		
	5:22	-	5:27		52.0		
17 Jan 2022	13:21	-	13:51	Fine	60.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
17 Jan 2022	19:16	-	19:21	Fine	48.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:06	-	20:11		49.6		
	21:06	-	21:11		49.0		
18 Jan 2022	1:11	-	1:16	Fine	44.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:16	-	3:21		44.5		
	5:11	-	5:16		44.3		
24 Jan 2022	13:02	-	13:32	Fine	55.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
24 Jan 2022	19:07	-	19:12	Fine	48.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:12	-	20:17		49.3		
	21:22	-	21:27		50.8		
25 Jan 2022	1:22	-	1:27	Fine	49.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:12	-	3:17		47.0		
	5:17	-	5:22		48.0		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 4, 7, 15, 21 February 2022 (Daytime)
4&5, 7&8, 15&16, 21&22 February 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Road Maintenance Work on 15 Feb 2022 Morning

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Feb 2022	13:16	-	13:46	Fine	54.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
4 Feb 2022	19:01	-	19:06	Fine	48.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:16	-	20:21		48.3		
	21:16	-	21:21		51.1		
5 Feb 2022	1:11	-	1:16	Fine	47.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:06	-	3:11		47.3		
	5:01	-	5:06		48.5		
7 Feb 2022	11:17	-	11:47	Cloudy	59.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
7 Feb 2022	19:02	-	19:07	Fine	48.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:12	-	20:17		48.8		
	21:12	-	21:17		47.8		
8 Feb 2022	1:12	-	1:17	Fine	45.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:07	-	3:12		45.7		
	5:12	-	5:17		45.5		
15 Feb 2022	10:46	-	11:16	Cloudy	66.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
15 Feb 2022	19:01	-	19:06	Fine	53.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:06	-	20:11		53.9		
	21:21	-	21:26		52.2		
16 Feb 2022	1:06	-	1:11	Fine	51.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:11	-	3:16		51.9		
	5:01	-	5:06		52.8		
21 Feb 2022	12:57	-	13:27	Cloudy	61.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
21 Feb 2022	19:02	-	19:07	Fine	47.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:02	-	20:07		52.5		
	22:47	-	22:52		50.5		
22 Feb 2022	1:37	-	1:42	Fine	50.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:27	-	3:32		48.9		
	5:12	-	5:17		51.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 2, 7, 14, 22, 28 March 2022 (Daytime)

2&3, 7&8, 14&15, 22&23, 28&29 March 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Mar 2022	13:48	-	14:18	Sunny	59.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
2 Mar 2022	19:28	-	19:33	Fine	49.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:13	-	20:18		48.8		
	21:23	-	21:28		49.3		
3 Mar 2022	1:08	-	1:13	Fine	47.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:18	-	3:23		49.0		
	5:13	-	5:18		53.2		
7 Mar 2022	12:45	-	13:15	Fine	53.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
7 Mar 2022	19:05	-	19:10	Fine	49.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:05	-	20:10		46.3		
	21:05	-	21:10		46.6		
8 Mar 2022	1:05	-	1:10	Fine	50.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:05	-	3:10		51.8		
	5:05	-	5:10		50.6		
14 Mar 2022	13:15	-	13:45	Fine	57.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
14 Mar 2022	19:05	-	19:10	Fine	49.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	20:05	-	20:10		52.7		
	21:25	-	21:30		49.4		
15 Mar 2022	1:10	-	1:15	Fine	47.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No. 83042)
	3:05	-	3:10		48.7		
	5:10	-	5:15		47.8		
22 Mar 2022	13:18	-	13:48	Fine	55.9	SVAN 971 (Serial No. 103449)	Pulsar Model 105 (No. 63705)
22 Mar 2022	19:03	-	19:08	Fine	47.3	SVAN 971 (Serial No. 103449)	Pulsar Model 105 (No. 63705)
	20:13	-	20:18		48.8		
	21:08	-	21:13		47.0		
23 Mar 2022	1:33	-	1:38	Fine	46.9	SVAN 971 (Serial No. 103449)	Pulsar Model 105 (No. 63705)
	3:18	-	3:23		49.7		
	5:08	-	5:13		45.3		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
28 Mar 2022	13:24	-	13:54	Cloudy	58.4	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
28 Mar 2022	19:09	-	19:14	Fine	46.7	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	20:19	-	20:24		46.3		
	21:14	-	21:19		45.1		
29 Mar 2022	1:19	-	1:24	Fine	47.3	SVAN 971 (Serial No. 96062)	Casella CEL-120-1 (No.5007536)
	3:24	-	3:29		46.2		
	5:14	-	5:19		47.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 3, 10, 17, 24 January 2022 (Daytime)

3&4, 10&11, 17&18, 24&25 January 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Jan 2022	11:13	-	11:43	Fine	54.9	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
3 Jan 2022	19:03	-	19:08	Fine	51.1	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:23	-	20:28		50.7		
	21:18	-	21:23		50.2		
4 Jan 2022	1:13	-	1:18	Fine	50.2	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:23	-	3:28		49.9		
	5:13	-	5:18		49.9		
10 Jan 2022	11:10	-	11:40	Fine	53.3	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
10 Jan 2022	19:05	-	19:10	Fine	50.6	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:10	-	20:15		51.1		
	21:20	-	21:25		49.7		
11 Jan 2022	1:25	-	1:30	Fine	49.7	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:25	-	3:30		49.1		
	5:15	-	5:20		49.7		
17 Jan 2022	11:43	-	12:13	Fine	58.8	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
17 Jan 2022	19:03	-	19:08	Fine	50.9	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:18	-	20:23		51.5		
	21:13	-	21:18		50.7		
18 Jan 2022	1:13	-	1:18	Fine	49.9	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:33	-	3:38		50.3		
	5:13	-	5:18		50.0		
24 Jan 2022	13:07	-	13:37	Fine	58.7	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
24 Jan 2022	19:12	-	19:17	Fine	49.9	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:32	-	20:37		49.9		
	21:22	-	21:27		50.5		
25 Jan 2022	1:17	-	1:22	Fine	50.7	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:12	-	3:17		49.3		
	5:02	-	5:07		49.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 4, 7, 15, 21 February 2022 (Daytime)
4&5, 7&8, 15&16, 21&22 February 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
4 Feb 2022	13:05	-	13:35	Fine	60.3	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
4 Feb 2022	19:05	-	19:10	Fine	49.8	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:25	-	20:30		50.7		
	21:10	-	21:15		49.8		
5 Feb 2022	1:20	-	1:25	Fine	49.5	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:10	-	3:15		51.3		
	5:20	-	5:25		49.8		
7 Feb 2022	11:30	-	12:00	Cloudy	57.1	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
7 Feb 2022	19:05	-	19:10	Fine	51.5	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:30	-	20:35		51.3		
	21:20	-	21:25		50.6		
8 Feb 2022	1:10	-	1:15	Fine	50.1	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:40	-	3:45		49.6		
	5:10	-	5:15		49.5		
15 Feb 2022	11:17	-	11:47	Cloudy	57.4	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
15 Feb 2022	19:02	-	19:07	Fine	57.3	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:27	-	20:32		51.6		
	21:22	-	21:27		49.6		
16 Feb 2022	1:02	-	1:07	Fine	49.5	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:12	-	3:17		49.8		
	5:02	-	5:07		53.3		
21 Feb 2022	13:01	-	13:31	Cloudy	58.5	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
21 Feb 2022	19:06	-	19:11	Fine	52.0	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:11	-	20:16		52.6		
	22:46	-	22:51		52.2		
22 Feb 2022	1:41	-	1:46	Fine	51.3	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:26	-	3:31		50.8		
	5:16	-	5:21		53.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 2, 7, 14, 22, 28 March 2022 (Daytime)

2&3, 7&8, 14&15, 22&23, 28&29 March 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
2 Mar 2022	13:53	-	14:23	Sunny	64.3	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
2 Mar 2022	19:33	-	19:38	Fine	47.8	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	20:13	-	20:18		48.3		
	21:23	-	21:28		48.9		
3 Mar 2022	1:13	-	1:18	Fine	44.1	NTi XL2 (Serial A2A-17638-E0)	Svantek SV33B (No. 83042)
	3:28	-	3:33		47.5		
	5:18	-	5:23		51.7		
7 Mar 2022	12:44	-	13:14	Fine	59.1	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
7 Mar 2022	19:04	-	19:09	Fine	43.6	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
	20:04	-	20:09		44.1		
	21:04	-	21:09		46.3		
8 Mar 2022	1:04	-	1:09	Fine	40.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
	3:09	-	3:14		41.7		
	5:09	-	5:14		41.0		
14 Mar 2022	13:30	-	14:00	Fine	63.5	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
14 Mar 2022	19:10	-	19:15	Fine	45.8	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
	20:10	-	20:15		41.9		
	21:05	-	21:10		44.1		
15 Mar 2022	1:10	-	1:15	Fine	44.2	SVAN 971 (Serial No. 103449)	Svantek SV33B (No. 83042)
	3:05	-	3:10		42.0		
	5:10	-	5:15		42.6		
22 Mar 2022	13:08	-	13:38	Fine	60.0	SVAN 971 (Serial No. 96063)	Pulsar Model 105 (No. 63705)
22 Mar 2022	19:03	-	19:08	Fine	42.6	SVAN 971 (Serial No. 96063)	Pulsar Model 105 (No. 63705)
	20:13	-	20:18		45.2		
	21:08	-	21:13		42.5		
23 Mar 2022	2:28	-	2:33	Fine	44.9	SVAN 971 (Serial No. 96063)	Pulsar Model 105 (No. 63705)
	3:13	-	3:18		44.9		
	5:08	-	5:13		45.4		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
28 Mar 2022	13:31	-	14:01	Cloudy	63.6	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
28 Mar 2022	19:06	-	19:11	Fine	45.9	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	20:16	-	20:21		44.5		
	21:06	-	21:11		44.7		
29 Mar 2022	1:31	-	1:36	Fine	46.3	SVAN 971 (Serial No. 103449)	Casella CEL-120-1 (No.5007536)
	3:11	-	3:16		47.0		
	5:11	-	5:16		47.5		