



Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none"> • Reclamation works • Installation of Instrumentation • Site Investigation works for foundation • Foundation works (including Driven H Pile, Socketed H Pile and Bored Pile) • Foundation works (Bored Pile)^[1] • Pile cap construction • Structural steel work 	<ul style="list-style-type: none"> • On-going • On-going • On-going • On-going • Completed • On-going • On-going
Seawall portion	<ul style="list-style-type: none"> • Installation of Chinese Pod • Caisson extension works, from +3mPD to +6mPD, at Seawall A and B • Construction of wave wall along the vertical seawall 	<ul style="list-style-type: none"> • On-going • On-going • On-going

Note:

[1]: Foundation works (Bored Pile) were completed in August 2022.

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 06, 11, 18, 25 July 2022 (Daytime)
 06&07, 11&12, 18&19, 25&26 July 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 July 2022	13:51	-	14:21	Sunny	65.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
06 July 2022	19:11	-	19:16	Fine	53.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:11	-	20:16		53.6		
	21:11	-	21:16		52.3		
07 July 2022	1:31	-	1:36	Fine	49.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:16	-	3:21		52.0		
	5:06	-	5:11		52.2		
11 July 2022	13:30	-	14:00	Sunny	60.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
11 July 2022	19:15	-	19:20	Fine	53.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:15	-	20:20		54.4		
	21:15	-	21:20		53.5		
12 July 2022	1:20	-	1:25	Fine	52.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:20	-	3:25		51.9		
	5:15	-	5:20		53.9		
18 July 2022	13:15	-	13:45	Sunny	63.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
18 July 2022	19:15	-	19:20	Fine	52.6	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:05	-	20:10		55.1		
	21:10	-	21:15		53.8		
19 July 2022	1:20	-	1:25	Fine	52.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:20	-	3:25		49.6		
	5:15	-	5:20		50.4		
25 July 2022	13:44	-	14:14	Sunny	64.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
25 July 2022	19:04	-	19:09	Fine	55.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:09	-	20:14		55.9		
	21:44	-	21:49		52.7		
26 July 2022	1:14	-	1:19	Fine	52.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:19	-	3:24		52.2		
	5:04	-	5:09		51.9		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 01, 19, 22, 29 August 2022 (Daytime)
01&02, 19&20, 22&23, 29&30 August 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Aug 2022	13:04	-	13:34	Sunny	65.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
01 Aug 2022	19:24	-	19:29	Fine	54.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:04	-	20:09		50.0		
	21:09	-	21:14		50.9		
02 Aug 2022	1:09	-	1:14	Fine	51.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:14	-	3:19		49.7		
	5:09	-	5:14		50.0		
19 Aug 2022	11:39	-	12:09	Sunny	61.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
19 Aug 2022	19:14	-	19:19	Fine	54.5	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:09	-	20:14		55.0		
	21:14	-	21:19		55.6		
20 Aug 2022	1:19	-	1:24	Fine	54.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:19	-	3:24		50.8		
	5:14	-	5:19		52.2		
22 Aug 2022	13:21	-	13:51	Sunny	63.2	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
22 Aug 2022	19:21	-	19:26	Fine	58.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:11	-	20:16		53.6		
	21:06	-	21:11		58.8		
23 Aug 2022	1:16	-	1:21	Fine	49.9	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:16	-	3:21		46.3		
	5:11	-	5:16		49.4		
29 Aug 2022	13:26	-	13:56	Sunny	63.6	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
30 Aug 2022	19:06	-	19:11	Fine	55.7	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:11	-	20:16		53.2		
	21:16	-	21:21		51.5		
30 Aug 2022	1:16	-	1:21	Fine	48.4	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:16	-	3:21		49.7		
	5:06	-	5:11		51.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 05, 13, 19, 26 September 2022 (Daytime)

05&06, 13&14, 19&20, 26&27 September 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 Sep 2022	13:07	-	13:37	Sunny	61.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
05 Sep 2022	19:07	-	19:12	Fine	49.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:12	-	20:17		49.3		
	21:17	-	21:22		48.4		
06 Sep 2022	1:02	-	1:07	Fine	48.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:12	-	3:17		48.3		
	5:22	-	5:27		49.1		
13 Sep 2022	13:23	-	13:53	Sunny	63.3	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
13 Sep 2022	19:08	-	19:13	Fine	51.9	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	20:13	-	20:18		52.2		
	21:08	-	21:13		51.4		
14 Sep 2022	1:13	-	1:18	Fine	49.1	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	3:08	-	3:13		48.5		
	5:08	-	5:13		49.3		
19 Sep 2022	13:34	-	14:04	Sunny	63.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
19 Sep 2022	19:09	-	19:14	Fine	51.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	20:14	-	20:19		49.6		
	21:09	-	21:14		50.1		
20 Sep 2022	1:09	-	1:14	Fine	48.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	3:09	-	3:14		49.6		
	5:09	-	5:14		49.7		
26 Sep 2022	13:42	-	14:12	Sunny	65.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
26 Sep 2022	19:07	-	19:12	Fine	50.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	20:12	-	20:17		50.2		
	21:02	-	21:07		50.4		
27 Sep 2022	1:17	-	1:22	Fine	48.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	3:07	-	3:12		49.3		
	5:07	-	5:12		48.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 08, 11, 18, 25 July 2022 (Daytime)

08&09, 11&12, 18&19, 25&26 July 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Chirping of cicadas
construction activities from
the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
08 July 2022	13:56	-	14:26	Sunny	62.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
08 July 2022	19:16	-	19:21	Fine	57.4	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:11	-	20:16		58.2		
	21:21	-	21:26		56.0		
09 July 2022	1:16	-	1:21	Fine	52.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:16	-	3:21		52.5		
	5:11	-	5:16		53.7		
11 July 2022	11:08	-	11:38	Sunny	54.0	SVAN 971 (Serial No. 77731)	Svantek SV33B (No.83042)
11 July 2022	19:18	-	19:23	Fine	45.0	SVAN 971 (Serial No. 77731)	Svantek SV33B (No.83042)
	20:13	-	20:18		44.7		
	21:18	-	21:23		43.5		
12 July 2022	1:23	-	1:28	Fine	43.6	SVAN 971 (Serial No. 77731)	Svantek SV33B (No.83042)
	3:08	-	3:13		46.4		
	5:18	-	5:23		51.6		
18 July 2022	13:21	-	13:51	Sunny	62.3	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
18 July 2022	19:16	-	19:21	Fine	54.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:11	-	20:16		56.5		
	21:31	-	21:36		54.5		
19 July 2022	1:16	-	1:21	Fine	52.0	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:06	-	3:11		50.6		
	5:11	-	5:16		52.2		
25 July 2022	13:24	-	13:54	Sunny	60.2	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
25 July 2022	19:19	-	19:24	Fine	54.1	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:14	-	20:19		56.6		
	21:44	-	21:49		54.4		
26 July 2022	1:14	-	1:19	Fine	52.4	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:19	-	3:24		51.9		
	5:04	-	5:09		52.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 01, 19, 22, 29 August 2022 (Daytime)
 01&02, 19&20, 22&23, 29&30 August 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than Nil
 construction activities from
 the Project:

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Aug 2022	13:15	-	13:45	Sunny	60.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
01 Aug 2022	19:05	-	19:10	Fine	53.9	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:05	-	20:10		54.6		
	21:05	-	21:10		54.7		
02 Aug 2022	1:10	-	1:15	Fine	51.7	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:05	-	3:10		51.7		
	5:10	-	5:15		52.7		
19 Aug 2022	11:45	-	12:15	Sunny	56.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
19 Aug 2022	19:15	-	19:20	Fine	54.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:20	-	20:25		54.7		
	21:05	-	21:10		55.5		
20 Aug 2022	1:15	-	1:20	Fine	53.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:15	-	3:20		52.8		
	5:20	-	5:25		52.9		
22 Aug 2022	13:24	-	13:54	Sunny	59.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
22 Aug 2022	19:09	-	19:14	Fine	57.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:14	-	20:19		54.9		
	21:04	-	21:09		56.4		
23 Aug 2022	1:14	-	1:19	Fine	52.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:14	-	3:19		52.1		
	5:14	-	5:19		52.6		
29 Aug 2022	13:12	-	13:42	Sunny	58.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
30 Aug 2022	19:07	-	19:12	Fine	53.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:07	-	20:12		54.0		
	21:22	-	21:27		54.8		
30 Aug 2022	1:02	-	1:07	Fine	53.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:37	-	3:42		54.5		
	5:27	-	5:32		55.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 05, 13, 19, 29 September 2022 (Daytime)
 05&06, 13&14, 19&20, 29&30 September 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 Sep 2022	13:20	-	13:50	Sunny	57.4	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
05 Sep 2022	19:05	-	19:10	Fine	51.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:05	-	20:10		51.0		
	21:05	-	21:10		52.2		
06 Sep 2022	1:20	-	1:25	Fine	49.7	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:10	-	3:15		49.4		
	5:10	-	5:15		51.1		
13 Sep 2022	13:33	-	14:03	Sunny	60.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
13 Sep 2022	19:03	-	19:08	Fine	55.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	20:03	-	20:08		55.6		
	21:08	-	21:13		54.6		
14 Sep 2022	1:13	-	1:18	Fine	52.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	3:08	-	3:13		50.8		
	5:03	-	5:08		52.5		
19 Sep 2022	13:20	-	13:50	Sunny	60.4	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
19 Sep 2022	19:10	-	19:15	Fine	55.7	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	20:10	-	20:15		55.9		
	21:10	-	21:15		56.8		
20 Sep 2022	1:15	-	1:20	Fine	55.9	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	3:15	-	3:20		56.0		
	5:10	-	5:15		55.8		
29 Sep 2022	13:47	-	14:17	Sunny	63.1	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
29 Sep 2022	19:17	-	19:22	Fine	57.1	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	20:12	-	20:17		55.2		
	21:17	-	21:22		56.3		
30 Sep 2022	1:07	-	1:12	Fine	50.0	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724244)
	3:02	-	3:07		51.3		
	5:12	-	5:17		51.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 06, 11, 18, 25 July 2022 (Daytime)
 06&07, 11&12, 18&19, 25&26 July 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Chirping of cicadas and air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
06 July 2022	14:00	-	14:30	Sunny	65.1	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
06 July 2022	19:05	-	19:10	Fine	55.3	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:10	-	20:15		54.1		
	21:10	-	21:15		54.8		
07 July 2022	1:25	-	1:30	Fine	50.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:15	-	3:20		52.3		
	5:05	-	5:10		55.9		
11 July 2022	12:08	-	12:38	Sunny	57.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
11 July 2022	19:38	-	19:43	Fine	52.8	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:38	-	20:43		53.2		
	21:13	-	21:18		51.5		
12 July 2022	1:23	-	1:28	Fine	49.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:18	-	3:23		47.1		
	5:03	-	5:08		47.3		
18 July 2022	13:10	-	13:40	Sunny	64.0	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
18 July 2022	19:10	-	19:15	Fine	55.8	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:20	-	20:25		55.3		
	21:30	-	21:35		52.7		
19 July 2022	1:15	-	1:20	Fine	55.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:05	-	3:10		49.0		
	5:20	-	5:25		53.8		
25 July 2022	13:43	-	14:13	Sunny	62.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
25 July 2022	19:03	-	19:08	Fine	56.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:23	-	20:28		56.1		
	21:43	-	21:48		54.6		
26 July 2022	1:13	-	1:18	Fine	55.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:13	-	3:18		56.0		
	5:13	-	5:18		49.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 01, 19, 22, 29 August 2022 (Daytime)
 01&02, 19&20, 22&23, 29&30 August 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Aug 2022	13:13	-	13:43	Sunny	63.2	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
01 Aug 2022	19:08	-	19:13	Fine	57.5	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:03	-	20:08		57.0		
	21:03	-	21:08		54.8		
02 Aug 2022	1:23	-	1:28	Fine	57.1	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:03	-	3:08		56.8		
	5:03	-	5:08		56.6		
19 Aug 2022	12:06	-	12:36	Sunny	56.5	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
19 Aug 2022	19:26	-	19:31	Fine	52.4	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:16	-	20:21		54.0		
	21:06	-	21:11		54.3		
20 Aug 2022	1:06	-	1:11	Fine	53.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:11	-	3:16		51.5		
	5:11	-	5:16		53.6		
22 Aug 2022	13:16	-	13:46	Sunny	61.6	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
22 Aug 2022	19:11	-	19:16	Fine	55.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	20:06	-	20:11		54.5		
	21:01	-	21:06		49.7		
23 Aug 2022	1:31	-	1:36	Fine	54.2	SVAN 971 (Serial No. 96063)	Svantek SV33B (No.83042)
	3:11	-	3:16		54.6		
	5:16	-	5:21		54.4		
29 Aug 2022	13:26	-	13:56	Sunny	59.3	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
30 Aug 2022	19:06	-	19:11	Fine	49.0	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	20:06	-	20:11		50.8		
	21:21	-	21:26		52.7		
30 Aug 2022	1:06	-	1:11	Fine	54.9	SVAN 971 (Serial No. 96062)	Svantek SV33B (No.83042)
	3:16	-	3:21		41.6		
	5:01	-	5:06		44.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 05, 13, 19, 26 September 2022 (Daytime)
05&06, 13&14, 19&20, 26&27 September 2022 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 Sep 2022	13:04	-	13:34	Sunny	61.2	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
05 Sep 2022	19:09	-	19:14	Fine	55.8	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	20:04	-	20:09		53.3		
	21:19	-	21:24		48.9		
06 Sep 2022	1:14	-	1:19	Fine	49.6	SVAN 971 (Serial No. 103482)	Svantek SV33B (No.83042)
	3:19	-	3:24		47.0		
	5:09	-	5:14		48.5		
13 Sep 2022	13:18	-	13:48	Sunny	63.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
13 Sep 2022	19:08	-	19:13	Fine	52.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	20:03	-	20:08		53.7		
	21:08	-	21:13		53.2		
14 Sep 2022	1:18	-	1:23	Fine	46.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	3:13	-	3:18		47.1		
	5:13	-	5:18		47.1		
19 Sep 2022	13:35	-	14:05	Sunny	61.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
19 Sep 2022	19:10	-	19:15	Fine	55.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	20:05	-	20:10		54.1		
	21:10	-	21:15		56.9		
20 Sep 2022	1:15	-	1:20	Fine	49.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34724244)
	3:10	-	3:15		51.2		
	5:10	-	5:15		49.2		
26 Sep 2022	13:39	-	14:09	Sunny	60.9	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
26 Sep 2022	19:14	-	19:19	Fine	46.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	20:09	-	20:14		47.5		
	21:04	-	21:09		51.3		
27 Sep 2022	1:09	-	1:14	Fine	56.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724244)
	3:09	-	3:14		53.8		
	5:19	-	5:24		54.6		