



Appendix C Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Reclamation area	<ul style="list-style-type: none"> • Installation of Instrumentation • Site Investigation works for foundation • Foundation works (including Driven H Pile and Socketed H Pile) • Pile cap construction • Structural steel work • Superstructure construction 	<ul style="list-style-type: none"> • On-going • On-going • On-going • On-going • On-going • On-going
Seawall portion	<ul style="list-style-type: none"> • Caisson extension works, from +3mPD to +6mPD, at Seawall A and B • Construction of wave wall along the vertical seawall 	<ul style="list-style-type: none"> • On-going • On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 03, 11, 17, 24 April 2023 (Daytime)

03&04, 11&12, 17&18, 24&25 April 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Apr 2023	13:08	-	13:38	Sunny	55.4	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
03 Apr 2023	19:08	-	19:13	Fine	51.4	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	20:28	-	20:33		51.1		
	21:18	-	21:23		49.5		
04 Apr 2023	1:23	-	1:28	Fine	47.5	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	3:13	-	3:18		43.9		
	5:23	-	5:28		43.6		
11 Apr 2023	14:13	-	14:43	Sunny	59.0	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
11 Apr 2023	19:18	-	19:23	Fine	49.1	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:18	-	20:23		46.2		
	21:13	-	21:18		44.5		
12 Apr 2023	1:13	-	1:18	Fine	44.7	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:13	-	3:18		44.7		
	5:18	-	5:23		45.9		
17 Apr 2023	14:04	-	14:34	Sunny	59.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
17 Apr 2023	19:24	-	19:29	Fine	48.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	20:14	-	20:19		48.9		
	21:19	-	21:24		47.9		
18 Apr 2023	1:29	-	1:34	Cloudy	46.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	3:14	-	3:19		49.0		
	5:24	-	5:29		52.5		
24 Apr 2023	13:27	-	13:57	Fine	59.0	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
24 Apr 2023	19:07	-	19:12	Fine	48.8	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:22	-	20:27		47.0		
	21:17	-	21:22		46.8		
25 Apr 2023	1:12	-	1:17	Fine	48.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:27	-	3:32		46.1		
	5:07	-	5:12		46.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 03, 09, 15, 22, 29 May 2023 (Daytime)

03&04, 09&10, 15&16, 22&23, 29&30 May 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 May 2023	13:53	-	14:23	Sunny	59.2	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
03 May 2023	19:23	-	19:28	Fine	51.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:13	-	20:18		51.9		
	21:13	-	21:18		50.4		
04 May 2023	1:13	-	1:18	Fine	46.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:13	-	3:18		44.9		
	5:23	-	5:28		51.2		
09 May 2023	13:16	-	13:46	Cloudy	57.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
09 May 2023	19:21	-	19:26	Fine	46.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:21	-	20:26		50.8		
	21:31	-	21:36		50.6		
10 May 2023	1:16	-	1:21	Fine	47.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:11	-	3:16		45.1		
	5:16	-	5:21		50.1		
15 May 2023	13:40	-	14:10	Fine	59.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
15 May 2023	19:20	-	19:25	Fine	47.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:25	-	20:30		58.4		
	21:25	-	21:30		54.5		
16 May 2023	1:15	-	1:20	Fine	45.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:30	-	3:35		45.7		
	5:15	-	5:20		47.6		
22 May 2023	13:41	-	14:11	Fine	60.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
22 May 2023	19:11	-	19:16	Fine	52.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	20:11	-	20:16		57.5		
	21:11	-	21:16		57.8		
23 May 2023	1:11	-	1:16	Fine	48.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	3:21	-	3:26		48.5		
	5:16	-	5:21		50.6		
29 May 2023	13:00	-	13:30	Sunny	60.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 May 2023	19:20	-	19:25	Fine	51.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:20	-	20:25		52.3		
	21:10	-	21:15		51.1		
30 May 2023	1:15	-	1:20	Fine	48.2	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:10	-	3:15		48.3		
	5:15	-	5:20		51.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 05, 13, 20, 26 June 2023 (Daytime)

05&06, 13&14, 20&21, 26&27 June 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 June 2023	13:11	-	13:41	Sunny	58.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
05 June 2023	19:31	-	19:36	Fine	48.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:41	-	20:46		52.6		
	21:21	-	21:26		49.4		
06 June 2023	1:16	-	1:21	Fine	44.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:31	-	3:36		43.9		
	5:01	-	5:06		45.3		
13 June 2023	13:14	-	13:44	Sunny	63.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
13 June 2023	19:24	-	19:29	Fine	53.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	20:29	-	20:34		51.7		
	21:19	-	21:24		49.8		
14 June 2023	1:14	-	1:19	Fine	47.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	3:24	-	3:29		49.0		
	5:14	-	5:19		54.7		
20 June 2023	13:18	-	13:48	Sunny	61.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
20 June 2023	19:28	-	19:33	Fine	49.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	20:38	-	20:43		50.8		
	21:23	-	21:28		49.7		
21 June 2023	1:13	-	1:18	Fine	48.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	3:13	-	3:18		49.0		
	5:13	-	5:18		53.1		
26 June 2023	13:14	-	13:44	Sunny	61.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
26 June 2023	19:29	-	19:34	Fine	50.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	20:34	-	20:39		50.1		
	21:24	-	21:29		52.0		
27 June 2023	1:14	-	1:19	Fine	49.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124528)
	3:14	-	3:19		49.0		
	5:14	-	5:19		50.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 03, 11, 17, 24 April 2023 (Daytime)

03&04, 11&12, 17&18, 24&25 April 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Apr 2023	13:16	-	13:46	Sunny	56.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
03 Apr 2023	19:31	-	19:36	Fine	53.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:21	-	20:26		54.9		
	21:11	-	21:16		53.3		
04 Apr 2023	1:16	-	1:21	Fine	52.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:16	-	3:21		50.6		
	5:26	-	5:31		50.7		
11 Apr 2023	14:24	-	14:54	Sunny	58.9	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
11 Apr 2023	19:19	-	19:24	Fine	51.6	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	20:19	-	20:24		52.7		
	21:14	-	21:19		50.7		
12 Apr 2023	1:09	-	1:14	Fine	50.3	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	3:14	-	3:19		49.8		
	5:09	-	5:14		50.4		
17 Apr 2023	14:18	-	14:48	Sunny	59.0	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
17 Apr 2023	19:13	-	19:18	Fine	51.5	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:13	-	20:18		52.3		
	21:18	-	21:23		51.5		
18 Apr 2023	1:13	-	1:18	Cloudy	50.0	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:18	-	3:23		50.2		
	5:13	-	5:18		51.8		
24 Apr 2023	13:14	-	13:44	Fine	54.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
24 Apr 2023	19:09	-	19:14	Fine	52.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:19	-	20:24		55.4		
	21:19	-	21:24		57.3		
25 Apr 2023	1:09	-	1:14	Fine	50.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:29	-	3:34		50.7		
	5:04	-	5:09		50.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 03, 09, 15, 22, 29 May 2023 (Daytime)

03&04, 09&10, 15&16, 22&23, 29&30 May 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 May 2023	14:00	-	14:30	Sunny	57.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
03 May 2023	19:25	-	19:30	Fine	52.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:20	-	20:25		51.3		
	21:25	-	21:30		55.0		
04 May 2023	1:15	-	1:20	Fine	50.8	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:15	-	3:20		48.7		
	5:20	-	5:25		53.9		
09 May 2023	13:21	-	13:51	Cloudy	58.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
09 May 2023	19:26	-	19:31	Fine	54.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:26	-	20:31		53.7		
	21:16	-	21:21		54.1		
10 May 2023	1:16	-	1:21	Fine	56.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:16	-	3:21		55.4		
	5:11	-	5:16		53.3		
15 May 2023	13:52	-	14:22	Fine	58.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
15 May 2023	19:12	-	19:17	Fine	52.1	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:27	-	20:32		54.6		
	21:17	-	21:22		53.2		
16 May 2023	1:12	-	1:17	Fine	51.0	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:17	-	3:22		50.2		
	5:17	-	5:22		53.3		
22 May 2023	13:22	-	13:52	Fine	60.7	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
22 May 2023	19:12	-	19:17	Fine	54.5	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:12	-	20:17		54.1		
	21:12	-	21:17		55.0		
23 May 2023	1:12	-	1:17	Fine	50.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:17	-	3:22		52.1		
	5:07	-	5:12		49.9		
29 May 2023	12:42	-	13:12	Sunny	65.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 May 2023	19:17	-	19:22	Fine	60.1	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:22	-	20:27		53.2		
	21:12	-	21:17		52.2		
30 May 2023	1:12	-	1:17	Fine	50.8	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:17	-	3:22		50.4		
	5:07	-	5:12		53.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 05, 13, 20, 26 June 2023 (Daytime)

05&06, 13&14, 20&21, 26&27 June 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 June 2023	12:58	-	13:28	Sunny	61.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
05 June 2023	19:28	-	19:33	Fine	52.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	20:23	-	20:28	Fine	52.5		
	21:18	-	21:23	Fine	52.6		
06 June 2023	1:13	-	1:18	Fine	51.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.34724245)
	3:23	-	3:28	Fine	50.6		
	5:08	-	5:13	Fine	53.2		
13 June 2023	13:27	-	13:57	Sunny	64.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
13 June 2023	19:22	-	19:27	Fine	61.8	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	20:27	-	20:32		55.3		
	21:17	-	21:22		51.3		
14 June 2023	1:12	-	1:17	Fine	50.6	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	3:17	-	3:22		50.9		
	5:22	-	5:27		57.8		
20 June 2023	13:03	-	13:33	Sunny	62.3	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
20 June 2023	19:28	-	19:33	Fine	51.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	20:33	-	20:38		51.1		
	21:18	-	21:23		49.8		
21 June 2023	1:18	-	1:23	Fine	50.3	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	3:13	-	3:18		50.6		
	5:13	-	5:18		48.5		
26 June 2023	13:20	-	13:50	Sunny	63.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
26 June 2023	19:25	-	19:30	Fine	53.2	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	20:35	-	20:40		54.0		
	21:25	-	21:30		52.8		
27 June 2023	1:15	-	1:20	Fine	52.3	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	3:15	-	3:20		52.1		
	5:15	-	5:20		53.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 03, 11, 17, 24 April 2023 (Daytime)

03&04, 11&12, 17&18, 24&25 April 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Apr 2023	13:16	-	13:46	Sunny	56.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
03 Apr 2023	19:11	-	19:16	Fine	52.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	20:16	-	20:21		52.9		
	21:21	-	21:26		53.0		
04 Apr 2023	1:16	-	1:21	Fine	50.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	3:16	-	3:21		47.9		
	5:16	-	5:21		50.6		
11 Apr 2023	14:06	-	14:36	Sunny	59.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
11 Apr 2023	19:06	-	19:11	Fine	49.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	20:06	-	20:11		47.3		
	21:11	-	21:16		47.2		
12 Apr 2023	1:11	-	1:16	Fine	37.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	3:26	-	3:31		39.9		
	5:16	-	5:21		41.8		
17 Apr 2023	14:00	-	14:30	Sunny	56.7	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
17 Apr 2023	19:10	-	19:15	Fine	48.1	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	20:10	-	20:15		48.3		
	21:10	-	21:15		46.9		
18 Apr 2023	1:05	-	1:10	Cloudy	41.3	SVAN 971 (Serial No. 96062)	Rion NC-75 (No.34724245)
	3:10	-	3:15		42.1		
	5:20	-	5:25		45.9		
24 Apr 2023	13:27	-	13:57	Fine	57.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
24 Apr 2023	19:12	-	19:17	Fine	47.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	20:27	-	20:32		39.8		
	21:17	-	21:22		41.2		
25 Apr 2023	1:07	-	1:12	Fine	44.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	3:27	-	3:32		39.7		
	5:02	-	5:07		38.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 03, 09, 15, 22, 29 May 2023 (Daytime)

03&04, 09&10, 15&16, 22&23, 29&30 May 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 May 2023	13:53	-	14:23	Sunny	57.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
03 May 2023	19:28	-	19:33	Fine	51.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	20:23	-	20:28		49.7		
	21:23	-	21:28		48.2		
04 May 2023	1:18	-	1:23	Fine	47.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.34724245)
	3:18	-	3:23		46.2		
	5:08	-	5:13		43.0		
09 May 2023	13:31	-	14:01	Cloudy	55.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
09 May 2023	19:21	-	19:26	Fine	49.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	20:26	-	20:31		49.1		
	21:21	-	21:26		53.1		
10 May 2023	1:21	-	1:26	Fine	54.8	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	3:16	-	3:21		52.5		
	5:11	-	5:16		54.8		
15 May 2023	13:39	-	14:09	Fine	58.8	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
15 May 2023	19:19	-	19:24	Fine	55.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	20:19	-	20:24		54.5		
	21:24	-	21:29		49.3		
16 May 2023	1:19	-	1:24	Fine	46.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	3:14	-	3:19		45.8		
	5:19	-	5:24		46.6		
22 May 2023	13:34	-	14:04	Fine	60.9	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
22 May 2023	19:14	-	19:19	Fine	58.6	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	20:19	-	20:24		54.7		
	21:24	-	21:29		55.4		
23 May 2023	1:19	-	1:24	Fine	47.1	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.34724245)
	3:19	-	3:24		47.2		
	5:04	-	5:09		42.1		
29 May 2023	12:57	-	13:27	Sunny	62.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
30 May 2023	19:07	-	19:12	Fine	61.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	20:17	-	20:22		51.0		
	21:22	-	21:27		52.2		
30 May 2023	1:22	-	1:27	Fine	40.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	3:22	-	3:27		53.1		
	5:07	-	5:12		42.4		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 05, 14, 20, 26 June 2023 (Daytime)

05&06, 14&15, 20&21, 26&27 June 2023 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
05 June 2023	13:04	-	13:34	Sunny	61.5	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
05 June 2023	19:24	-	19:29	Fine	56.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	20:29	-	20:34		55.7		
	21:19	-	21:24		50.0		
06 June 2023	1:14	-	1:19	Fine	48.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34724245)
	3:24	-	3:29		45.7		
	5:09	-	5:14		50.7		
14 June 2023	13:15	-	13:45	Sunny	61.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
14 June 2023	19:30	-	19:35	Fine	50.9	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	20:25	-	20:30		56.8		
	21:20	-	21:25		49.3		
15 June 2023	1:00	-	1:05	Fine	57.4	SVAN 971 (Serial No. 103449)	Rion NC-75 (No.35124528)
	3:40	-	3:45		59.5		
	5:35	-	5:40		56.4		
20 June 2023	13:39	-	14:09	Sunny	60.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
20 June 2023	19:29	-	19:34	Fine	57.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
	20:34	-	20:39		56.0		
	21:19	-	21:24		51.0		
21 June 2023	1:19	-	1:24	Fine	45.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
	3:14	-	3:19		48.4		
	5:14	-	5:19		48.2		
26 June 2023	13:08	-	13:38	Sunny	58.4	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
26 June 2023	19:23	-	19:28	Fine	58.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
	20:33	-	20:38		54.5		
	21:23	-	21:28		53.0		
27 June 2023	1:13	-	1:18	Fine	44.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.35124528)
	3:13	-	3:18		46.1		
	5:13	-	5:18		46.7		