

## Appendix J Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:02	-	16:32	Sunny	55.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
1 Dec 2020	19:02	-	19:07	Fine	59.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.9		
	21:02	-	21:07		55.8		
2 Dec 2020	01:02	-	01:07	Fine	63.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		61.8		
	05:02	-	05:07		58.7		
7 Dec 2020	16:02	-	16:32	Fine	59.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
7 Dec 2020	19:02	-	19:07	Fine	63.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		58.4		
	21:02	-	21:07		54.1		
8 Dec 2020	01:02	-	01:07	Fine	63.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.9		
	05:02	-	05:07		53.9		
14 Dec 2020	16:02	-	16:32	Sunny	56.2	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
14 Dec 2020	19:02	-	19:07	Fine	51.9	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		53.6		
	21:02	-	21:07		63.1		
15 Dec 2020	01:02	-	01:07	Fine	54.4	XL2 (Serial No. A2A-13661-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.8		
	05:02	-	05:07		55.3		
21 Dec 2020	16:01	-	16:31	Sunny	54.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:01	-	19:06	Fine	54.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		51.7		
	21:01	-	21:06		54.8		
22 Dec 2020	01:01	-	01:06	Fine	55.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.2		
	05:01	-	05:06		56.4		
28 Dec 2020	16:03	-	16:38	Sunny	55.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
28 Dec 2020	19:03	-	19:08	Fine	55.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.7		
	21:03	-	21:08		56.3		
29 Dec 2020	01:03	-	01:08	Fine	54.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.6		
	05:03	-	05:08		55.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:04	-	16:34	Sunny	57.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
1 Dec 2020	19:04	-	19:09	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		57.2		
	21:04	-	21:09		55.9		
2 Dec 2020	01:04	-	01:09	Fine	56.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		55.6		
	05:04	-	05:09		54.8		
7 Dec 2020	16:01	-	16:31	Fine	58.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
7 Dec 2020	19:01	-	19:06	Fine	56.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		58.5		
	21:01	-	21:06		55.2		
8 Dec 2020	01:01	-	01:06	Fine	55.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.7		
	05:01	-	05:06		54.8		
14 Dec 2020	16:05	-	16:35	Sunny	56.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
14 Dec 2020	19:05	-	19:10	Fine	50.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.5		
	21:05	-	21:10		58.7		
15 Dec 2020	01:05	-	01:10	Fine	60.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:05	-	03:10		54.9		
	05:05	-	05:10		55.5		
21 Dec 2020	16:02	-	16:32	Sunny	69.8	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:02	-	19:07	Fine	58.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.1		
	21:02	-	21:07		54.3		
22 Dec 2020	01:02	-	01:07	Fine	56.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.9		
	05:02	-	05:07		52.9		
28 Dec 2020	16:04	-	16:39	Sunny	60.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
28 Dec 2020	19:04	-	19:09	Fine	54.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.7		
	21:04	-	21:09		59.5		
29 Dec 2020	01:04	-	01:09	Fine	58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		57.6		
	05:04	-	05:09		53.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 1, 7, 14, 21, 28 December 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 December 2020 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)


Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Dec 2020	16:03	-	16:33	Sunny	50.0	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
1 Dec 2020	19:03	-	19:08	Fine	52.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:03	-	20:08		48.0		
	21:03	-	21:08		57.9		
2 Dec 2020	01:03	-	01:08	Fine	62.1	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:03	-	03:08		60.0		
	05:03	-	05:08		48.2		
7 Dec 2020	16:01	-	16:31	Fine	58.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
7 Dec 2020	19:01	-	19:06	Fine	60.7	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:01	-	20:06		57.0		
	21:01	-	21:06		61.4		
8 Dec 2020	01:01	-	01:06	Fine	61.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:01	-	03:06		58.3		
	05:01	-	05:06		53.0		
14 Dec 2020	16:01	-	16:31	Sunny	53.8	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
14 Dec 2020	19:01	-	19:06	Fine	57.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:01	-	20:06		49.3		
	21:01	-	21:06		49.5		
15 Dec 2020	01:01	-	01:06	Fine	53.6	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:01	-	03:06		51.5		
	05:01	-	05:06		50.8		
21 Dec 2020	16:02	-	16:32	Sunny	61.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)


<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
21 Dec 2020	19:02	-	19:07	Fine	52.4	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:02	-	20:07		51.1		
	21:02	-	21:07		53.0		
22 Dec 2020	01:02	-	01:07	Fine	59.9	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:02	-	03:07		59.5		
	05:02	-	05:07		52.6		
28 Dec 2020	16:05	-	16:35	Sunny	56.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
28 Dec 2020	19:05	-	19:10	Fine	52.2	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	20:05	-	20:10		52.4		
	21:05	-	21:10		48.9		
29 Dec 2020	01:05	-	01:10	Fine	52.3	SVAN 971 (Serial No. 77731)	Pulsar 105 (No. 63705)
	03:05	-	03:10		53.4		
	05:05	-	05:10		54.3		

### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)





# Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



# Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)

