

## Appendix J Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 1, 8, 15, 22, 29 March 2021 (Daytime)

1&2, 8&9, 15&16, 22&23, 29&30 March 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

#### Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Mar 2021	16:00	-	16:30	Sunny	56.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
1 Mar 2021	19:00	-	19:05	Fine	56.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		55.6		
	21:00	-	21:05		56.1		
2 Mar 2021	01:00	-	01:05	Fine	59.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		45.6		
	05:00	-	05:05		56.8		
8 Mar 2021	16:04	-	16:34	Fine	55.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
8 Mar 2021	19:04	-	19:09	Fine	63.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		58.5		
	21:04	-	21:09		58.2		
9 Mar 2021	01:04	-	01:09	Fine	48.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		46.6		
	05:04	-	05:09		46.7		
15 Mar 2021	16:01	-	16:31	Sunny	60.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
15 Mar 2021	19:01	-	19:06	Fine	55.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.8		
	21:01	-	21:06		55.4		
16 Mar 2021	01:01	-	01:06	Fine	57.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.7		
	05:01	-	05:06		56.2		
22 Mar 2021	16:03	-	16:34	Sunny	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
22 Mar 2021	19:03	-	19:08	Fine	56.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.9		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
	21:03	-	21:08		57.5		
23 Mar 2021	01:03	-	01:08	Fine	56.4	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		56.0		
	05:03	-	05:08		54.4		
29 Mar 2021	16:02	-	16:32	Sunny	60.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
29 Mar 2021	19:02	-	19:07	Fine	56.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		54.3		
	21:02	-	21:07		52.1		
30 Mar 2021	01:02	-	01:07	Fine	55.6	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		54.1		
	05:02	-	05:07		57.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 1, 8, 15, 22, 29 March 2021 (Daytime)

1&2, 8&9, 15&16, 22&23, 29&30 March 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

#### Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Mar 2021	16:02	-	16:32	Sunny	57.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
1 Mar 2021	19:02	-	19:07	Fine	55.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.0		
	21:02	-	21:07		55.4		
2 Mar 2021	01:02	-	01:07	Fine	58.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.8		
	05:02	-	05:07		56.8		
8 Mar 2021	16:00	-	16:30	Fine	55.5	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
8 Mar 2021	19:00	-	19:05	Fine	58.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:00	-	20:05		58.6		
	21:00	-	21:05		56.8		
9 Mar 2021	01:00	-	01:05	Fine	50.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:00	-	03:05		48.4		
	05:00	-	05:05		46.6		
15 Mar 2021	16:02	-	16:32	Sunny	57.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
15 Mar 2021	19:02	-	19:07	Fine	57.0	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.5		
	21:02	-	21:07		52.7		
16 Mar 2021	01:02	-	01:07	Fine	44.7	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		44.6		
	05:02	-	05:07		42.9		
22 Mar 2021	16:03	-	16:34	Sunny	55.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
22 Mar 2021	19:03	-	19:08	Fine	56.6	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.1		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
	21:03	-	21:08		50.5		
23 Mar 2021	01:03	-	01:08	Fine	48.9	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.8		
	05:03	-	05:08		54.6		
29 Mar 2021	16:04	-	16:34	Sunny	58.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
29 Mar 2021	19:04	-	19:09	Fine	53.3	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		53.1		
	21:04	-	21:09		51.9		
30 Mar 2021	01:04	-	01:09	Fine	51.1	XL2 (Serial No. A2A-13548-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		52.0		
	05:04	-	05:09		53.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 1, 8, 15, 22, 29 March 2021 (Daytime)

1&2, 8&9, 15&16, 22&23, 29&30 March 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)


Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Mar 2021	16:02	-	16:32	Sunny	61.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
1 Mar 2021	19:02	-	19:07	Fine	59.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		57.6		
	21:02	-	21:07		57.4		
2 Mar 2021	01:02	-	01:07	Fine	56.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		55.3		
	05:02	-	05:07		56.8		
8 Mar 2021	16:03	-	16:33	Fine	62.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
8 Mar 2021	19:03	-	19:08	Fine	54.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.8		
	21:03	-	21:08		56.4		
9 Mar 2021	01:03	-	01:08	Fine	57.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		56.5		
	05:03	-	05:08		56.0		
15 Mar 2021	16:01	-	16:31	Sunny	65.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
15 Mar 2021	19:01	-	19:06	Fine	57.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.7		
	21:01	-	21:06		58.3		
16 Mar 2021	01:01	-	01:06	Fine	54.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.8		
	05:01	-	05:06		56.1		
22 Mar 2021	16:01	-	16:31	Sunny	63.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
22 Mar 2021	19:01	-	19:06	Fine	58.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		57.5		


<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min}</math> dB(A) / <math>L_{eq\ 5min}</math> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
	21:01	-	21:06		59.4		
23 Mar 2021	01:01	-	01:06	Fine	56.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		55.9		
	05:01	-	05:06		56.1		
29 Mar 2021	16:01	-	16:31	Sunny	67.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
29 Mar 2021	19:01	-	19:06	Fine	56.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:01	-	20:06		54.8		
	21:01	-	21:06		57.5		
30 Mar 2021	01:01	-	01:06	Fine	53.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:01	-	03:06		48.9		
	05:01	-	05:06		49.8		

### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)





# Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



### Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)

