

## Appendix J Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N\_S1)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Nil

#### Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:02	-	16:32	Cloudy	57.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
3 May 2021	19:02	-	19:07	Fine	54.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		55.2		
	21:02	-	21:07		55.4		
4 May 2021	01:02	-	01:07	Fine	57.0	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		50.6		
	05:02	-	05:07		57.6		
10 May 2021	16:04	-	16:34	Sunny	54.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
10 May 2021	19:04	-	19:09	Fine	56.2	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:04	-	20:09		56.4		
	21:04	-	21:09		54.0		
11 May 2021	01:04	-	01:09	Fine	50.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:04	-	03:09		56.6		
	05:04	-	05:09		54.8		
17 May 2021	16:02	-	16:32	Sunny	59.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
17 May 2021	19:02	-	19:07	Fine	53.1	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.4		
	21:02	-	21:07		51.5		
18 May 2021	01:02	-	01:07	Fine	54.8	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:02	-	03:07		52.6		
	05:02	-	05:07		51.7		
24 May 2021	16:03	-	16:33	Cloudy	57.9	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
24 May 2021	19:03	-	19:08	Fine	55.5	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:03	-	20:08		55.4		
	21:03	-	21:08		55.0		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
25 May 2021	01:03	-	01:08	Fine	58.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:03	-	03:08		55.3		
	05:03	-	05:08		58.6		
30 May 2021	16:01	-	16:31	Cloudy	58.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
30 May 2021	19:01	-	19:06	Fine	56.7	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	20:01	-	20:06		56.4		
	21:01	-	21:06		55.1		
1 June 2021	01:01	-	01:06	Fine	58.3	XL2 (Serial No. A2A-13663-E0)	Pulsar 105 (No. 63705)
	03:01	-	03:06		56.3		
	05:01	-	05:06		60.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N\_S2)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioner

#### Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:02	-	16:32	Cloudy	58.9	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
3 May 2021	19:02	-	19:07	Fine	62.7	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		60.4		
	21:02	-	21:07		59.7		
4 May 2021	01:02	-	01:07	Fine	56.9	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		58.9		
	05:02	-	05:07		58.4		
10 May 2021	16:02	-	16:32	Sunny	62.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
10 May 2021	19:02	-	19:07	Fine	57.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		56.5		
	21:02	-	21:07		63.0		
11 May 2021	01:02	-	01:07	Fine	49.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		55.8		
	05:02	-	05:07		57.7		
17 May 2021	16:04	-	16:34	Sunny	60.8	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
17 May 2021	19:04	-	19:09	Fine	59.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:04	-	20:09		53.4		
	21:04	-	21:09		58.8		
18 May 2021	01:04	-	01:09	Fine	55.1	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:04	-	03:09		51.6		
	05:04	-	05:09		51.0		
24 May 2021	16:02	-	16:32	Cloudy	61.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
24 May 2021	19:02	-	19:07	Fine	59.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:02	-	20:07		60.7		
	21:02	-	21:07		58.0		

<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b>L<sub>eq 30min</sub> dB(A) / L<sub>eq 5min</sub> dB(A)</b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
25 May 2021	01:02	-	01:07	Fine	58.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:02	-	03:07		59.9		
	05:02	-	05:07		58.7		
30 May 2021	16:04	-	16:34	Cloudy	58.5	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
30 May 2021	19:04	-	19:09	Fine	58.0	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	20:04	-	20:09		55.6		
	21:04	-	21:09		53.3		
1 June 2021	01:04	-	01:09	Fine	58.2	SVAN 971 (Serial No. 96062)	Pulsar 105 (No. 63705)
	03:04	-	03:09		54.5		
	05:04	-	05:09		56.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N\_S3)

Monitoring date: 3, 10, 17, 24 & 31 May 2021 (Daytime)

3&4, 10&11, 17&18, 24&25, 31 May 2021 & 1 June 2021 (Evening & Night time)

Parameter :  $L_{eq\ 30min}$  (Daytime),  $L_{eq\ 5min}$  (Evening & Night time)


Noise source other than construction activities from the Project: Air-conditioner

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 May 2021	16:04	-	16:34	Cloudy	62.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
3 May 2021	19:04	-	19:09	Fine	61.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:04	-	20:09		60.4		
	21:04	-	21:09		59.8		
4 May 2021	01:04	-	01:09	Fine	58.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:04	-	03:09		58.9		
	05:04	-	05:09		55.4		
10 May 2021	16:03	-	16:33	Sunny	57.5	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
10 May 2021	19:03	-	19:08	Fine	58.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.5		
	21:03	-	21:08		57.2		
11 May 2021	01:03	-	01:08	Fine	54.0	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		53.2		
	05:03	-	05:08		55.9		
17 May 2021	16:03	-	16:34	Sunny	58.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
17 May 2021	19:03	-	19:08	Fine	57.9	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		58.3		
	21:03	-	21:08		56.9		
18 May 2021	01:03	-	01:08	Fine	55.1	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		55.6		
	05:03	-	05:08		54.3		
24 May 2021	16:03	-	16:33	Cloudy	57.8	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
24 May 2021	19:03	-	19:08	Fine	58.7	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:03	-	20:08		56.0		
	21:03	-	21:08		54.1		


<b>Date</b>	<b>Start time</b>		<b>End time</b>	<b>Weather</b>	<b><math>L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}</math></b>	<b>Sound Level Meter Used</b>	<b>Calibrator Used</b>
25 May 2021	01:03	-	01:08	Fine	57.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:03	-	03:08		54.5		
	05:03	-	05:08		55.7		
30 May 2021	16:02	-	16:32	Cloudy	59.4	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
30 May 2021	19:02	-	19:07	Fine	61.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	20:02	-	20:07		54.5		
	21:02	-	21:07		52.9		
1 June 2021	01:02	-	01:07	Fine	58.3	SVAN 971 (Serial No. 96063)	Pulsar 105 (No. 63705)
	03:02	-	03:07		56.2		
	05:02	-	05:07		57.9		

### Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)





### Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



### Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)

