

Appendix G Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 01, 05, 15, 20 and 25 February 2024 (Daytime)

01&02, 05&06, 15&16, 20&21 and 25&26 February 2024 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Feb 2024	13:17	-	13:47	Fine	59.3	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
01 Feb 2024	19:32	-	19:37	Fine	50.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	20:32	-	20:37		45.8		
	21:02	-	21:07		48.0		
02 Feb 2024	1:37	-	1:42	Fine	40.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	3:32	-	3:37		39.3		
	5:17	-	5:22		39.9		
05 Feb 2024	14:16	-	14:46	Fine	58.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
05 Feb 2024	19:16	-	19:21	Fine	55.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	20:36	-	20:41		48.4		
	21:26	-	21:31		52.9		
06 Feb 2024	1:26	-	1:31	Fine	41.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	3:16	-	3:21		38.2		
	5:21	-	5:26		40.6		
15 Feb 2024	14:04	-	14:34	Sunny	58	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
15 Feb 2024	19:34	-	19:39	Fine	48.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	20:09	-	20:14		47.2		
	21:24	-	21:29		42.3		
16 Feb 2024	1:09	-	1:14	Fine	46.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	3:14	-	3:19		42.0		
	5:09	-	5:14		39.9		
20 Feb 2024	13:58	-	14:28	Sunny	56.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
20 Feb 2024	19:08	-	19:13	Fine	51.8	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	20:23	-	20:28		49.6		
	21:18	-	21:23		48.8		
21 Feb 2024	1:13	-	1:18	Fine	50.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	3:03	-	3:08		50.5		
	5:03	-	5:08		49.8		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 Feb 2024	14:16	-	14:46	Sunny	58.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
25 Feb 2024	19:11	-	19:16	Fine	49.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	20:21	-	20:26		48.5		
	21:16	-	21:21		49.2		
26 Feb 2024	1:11	-	1:16	Fine	48.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.35124527)
	3:01	-	3:06		45.4		
	5:06	-	5:11		47.1		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 01, 05, 15, 20 and 25 February 2024 (Daytime)

01&02, 05&06, 15&16, 20&21 and 25&26 February 2024 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Feb 2024	13:33	-	14:03	Fine	54.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
01 Feb 2024	19:33	-	19:38	Fine	56.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	20:13	-	20:18		56.2		
	21:08	-	21:13		45.8		
02 Feb 2024	1:23	-	1:28	Fine	44.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	3:33	-	3:38		45.0		
	5:13	-	5:18		45.9		
05 Feb 2024	14:05	-	14:35	Fine	54.6	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
05 Feb 2024	19:10	-	19:15	Fine	52.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	20:25	-	20:30		50.3		
	21:20	-	21:25		47.3		
06 Feb 2024	1:20	-	1:25	Fine	48.8	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	3:15	-	3:20		51.1		
	5:20	-	5:25		47.4		
15 Feb 2024	14:03	-	14:33	Sunny	52.0	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
15 Feb 2024	19:23	-	19:28	Fine	45.5	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	20:08	-	20:13		46.0		
	21:08	-	21:13		46.0		
16 Feb 2024	1:08	-	1:13	Fine	43.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	3:13	-	3:18		41.1		
	5:08	-	5:13		41.1		
20 Feb 2024	14:06	-	14:36	Sunny	56.4	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
20 Feb 2024	19:11	-	19:16	Fine	54.2	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	20:21	-	20:26		51.8		
	21:16	-	21:21		49.6		
21 Feb 2024	1:11	-	1:16	Fine	46.3	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	3:01	-	3:06		46.4		
	5:06	-	5:11		45.1		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 Feb 2024	14:21	-	14:51	Sunny	59.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
25 Feb 2024	19:11	-	19:16	Fine	51.1	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	20:21	-	20:26		51.0		
	21:16	-	21:21		51.9		
26 Feb 2024	1:11	-	1:16	Fine	50.7	SVAN 971 (Serial No. 96063)	Rion NC-75 (No.35124527)
	3:01	-	3:06		46.2		
	5:06	-	5:11		46.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 01, 06, 15, 20 and 25 February 2024 (Daytime)

01&02, 06&07, 15&16, 20&21 and 25&26 February 2024 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)


Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Feb 2024	13:15	-	13:45	Fine	54.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
01 Feb 2024	19:25	-	19:30	Fine	53.4	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	20:20	-	20:25		50.6		
	21:10	-	21:15		46.6		
02 Feb 2024	1:25	-	1:30	Fine	43.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	3:30	-	3:35		43.4		
	5:20	-	5:25		44.6		
06 Feb 2024	14:39	-	15:09	Fine	51.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
06 Feb 2024	19:14	-	19:19	Fine	46.2	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	20:29	-	20:34		51.1		
	21:19	-	21:24		48.3		
07 Feb 2024	1:19	-	1:24	Fine	46.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	3:14	-	3:19		44.5		
	5:24	-	5:29		45.8		
15 Feb 2024	14:09	-	14:39	Sunny	44.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
15 Feb 2024	19:14	-	19:19	Fine	44.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	20:29	-	20:34		44.3		
	21:24	-	21:29		46.3		
16 Feb 2024	1:09	-	1:14	Fine	46.0	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	3:24	-	3:29		43.7		
	5:19	-	5:24		45.5		
20 Feb 2024	14:23	-	14:53	Sunny	55.8	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
20 Feb 2024	19:23	-	19:28	Fine	45.5	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	20:18	-	20:23		46.6		
	21:13	-	21:18		45.8		
21 Feb 2024	1:13	-	1:18	Fine	49.2	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	3:03	-	3:08		46.4		
	5:08	-	5:13		50.4		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
25 Feb 2024	14:10	-	14:40	Sunny	56.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
25 Feb 2024	19:10	-	19:15	Fine	45.7	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	20:25	-	20:30		47.3		
	21:15	-	21:20		44.7		
26 Feb 2024	1:10	-	1:15	Fine	44.3	SVAN 971 (Serial No. C119577)	Rion NC-75 (No.35124527)
	3:00	-	3:05		44.9		
	5:00	-	5:05		44.1		


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.


Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.