

Appendix G Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:21	-	14:51	Sunny	57.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
03 Mar 2025	19:11	-	19:16	Fine	52.6	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:16	-	20:21		51.7		
	21:16	-	21:21		49.5		
04 Mar 2025	1:26	-	1:31	Fine	43.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:11	-	3:16		43.4		
	5:16	-	5:21		42.6		
10 Mar 2025	14:28	-	14:58	Sunny	54.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
10 Mar 2025	19:13	-	19:18	Fine	52.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		48.5		
	21:18	-	21:23		48.5		
11 Mar 2025	1:18	-	1:23	Fine	46.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:18	-	3:23		44.9		
	5:18	-	5:23		45.1		
17 Mar 2025	14:47	-	15:17	Sunny	58.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
17 Mar 2025	19:12	-	19:17	Fine	53.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:27	-	20:32		49.1		
	21:27	-	21:32		47.2		
18 Mar 2025	1:17	-	1:22	Fine	43.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:12	-	3:17		42.0		
	5:12	-	5:17		42.9		
24 Mar 2025	14:28	-	14:58	Sunny	58.5	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
24 Mar 2025	19:18	-	19:23	Fine	53.4	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:18	-	20:23		52.8		
	21:28	-	21:33		50.4		
25 Mar 2025	1:23	-	1:28	Fine	45.2	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:13	-	3:18		42.4		
	5:13	-	5:18		43.3		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
31 Mar 2025	14:58	-	15:28	Sunny	63.7	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
31 Mar 2025	19:18	-	19:23	Fine	58.1	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	20:03	-	20:08		58.6		
	21:23	-	21:28		59.0		
01 Apr 2025	1:28	-	1:33	Fine	56.0	SVAN 971 (Serial No. 103482)	Rion NC-75 (No.34524163)
	3:53	-	3:58		59.5		
	5:48	-	5:53		59.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:30	-	15:00	Sunny	61.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
03 Mar 2025	19:05	-	19:10	Fine	57.2	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:15	-	20:20		59.5		
	21:30	-	21:35		53.8		
04 Mar 2025	1:30	-	1:35	Fine	54.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:20	-	3:25		50.7		
	5:20	-	5:25		49.4		
10 Mar 2025	14:27	-	14:57	Sunny	56.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
10 Mar 2025	19:12	-	19:17	Fine	53.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:22	-	20:27		54.0		
	21:37	-	21:42		59.8		
11 Mar 2025	1:17	-	1:22	Fine	49.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:17	-	3:22		44.1		
	5:17	-	5:22		45.1		
17 Mar 2025	14:57	-	15:27	Sunny	56.2	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
17 Mar 2025	19:22	-	19:27	Fine	51.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:27	-	20:32		49.2		
	21:27	-	21:32		47.9		
18 Mar 2025	1:17	-	1:22	Fine	43.7	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:12	-	3:17		45.6		
	5:17	-	5:22		59.7		
24 Mar 2025	14:33	-	15:03	Sunny	57.1	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
24 Mar 2025	19:18	-	19:23	Fine	51.6	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:18	-	20:23		50.9		
	21:28	-	21:33		48.4		
25 Mar 2025	1:23	-	1:28	Fine	44.0	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:13	-	3:18		43.4		
	5:18	-	5:23		44.2		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
31 Mar 2025	14:34	-	15:04	Sunny	56.8	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
31 Mar 2025	19:19	-	19:24	Fine	49.9	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	20:04	-	20:09		50.0		
	21:24	-	21:29		50.2		
01 Apr 2025	1:34	-	1:39	Fine	46.3	SVAN 971 (Serial No. C132260)	Rion NC-75 (No.34524163)
	3:54	-	3:59		47.0		
	5:49	-	5:54		49.3		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 03, 10, 17, 24 and 31 March 2025 (Daytime)

03&04, 10&11, 17&18, 24&25 and 31 March & 1 April 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)


Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
03 Mar 2025	14:46	-	15:16	Sunny	57.6	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
03 Mar 2025	19:16	-	19:21	Fine	45.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:06	-	20:11		44.8		
	21:06	-	21:11		52.6		
04 Mar 2025	1:36	-	1:41	Fine	44.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:16	-	3:21		43.3		
	5:21	-	5:26		43.4		
10 Mar 2025	14:16	-	14:46	Sunny	57.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
10 Mar 2025	19:11	-	19:16	Fine	55.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:21	-	20:26		55.3		
	9:21	-	9:26		55.5		
11 Mar 2025	1:46	-	1:51	Fine	54.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:26	-	3:31		54.5		
	5:11	-	5:16		54.5		
17 Mar 2025	14:39	-	15:09	Sunny	54.4	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
17 Mar 2025	19:14	-	19:19	Fine	46.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:24	-	20:29		43.6		
	21:29	-	21:34		42.2		
18 Mar 2025	1:19	-	1:24	Fine	42.0	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:14	-	3:19		41.7		
	5:14	-	5:19		44.8		
24 Mar 2025	14:20	-	14:50	Sunny	57.2	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
24 Mar 2025	19:15	-	19:20	Fine	47.7	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:15	-	20:20		49.5		
	21:25	-	21:30		49.9		
25 Mar 2025	1:25	-	1:30	Fine	44.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:15	-	3:20		47.4		
	5:15	-	5:20		49.4		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
31 Mar 2025	14:44	-	15:14	Sunny	55.8	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
31 Mar 2025	19:19	-	19:24	Fine	43.9	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	20:04	-	20:09		45.7		
	21:24	-	21:29		44.8		
01 Apr 2025	1:34	-	1:39	Fine	43.3	SVAN 971 (Serial No. C132269)	Rion NC-75 (No. 34524163)
	3:54	-	3:59		41.2		
	5:49	-	5:54		45.4		


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.