

Appendix G Noise Monitoring Data

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 01, 10, 15, 26 and 29 September 2025 (Daytime)

01&02, 10&11, 15&16, 26&27 and 29&30 September 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Sep 2025	14:38	-	15:08	Sunny	57.7	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
01 Sep 2025	19:13	-	19:18	Fine	53.7	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:18	-	20:23		55.3		
	21:38	-	21:43		55.7		
02 Sep 2025	1:18	-	1:23	Fine	49.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:13	-	3:18		50.1		
	5:08	-	5:13		53.3		
10 Sep 2025	13:54	-	14:24	Sunny	58.9	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
10 Sep 2025	19:04	-	19:09	Fine	55.7	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:14	-	20:19		54.6		
	21:09	-	21:14		55.3		
11 Sep 2025	1:14	-	1:19	Fine	53.0	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:39	-	3:44		52.4		
	5:04	-	5:09		56.9		
15 Sep 2025	14:38	-	15:08	Sunny	55.9	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
15 Sep 2025	19:08	-	19:13	Fine	53.4	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:08	-	20:13		53.7		
	21:28	-	21:33		53.0		
16 Sep 2025	1:18	-	1:23	Fine	52.3	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:03	-	3:08		49.7		
	5:13	-	5:18		50.8		
26 Sep 2025	13:37	-	14:07	Sunny	58.4	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
26 Sep 2025	19:12	-	19:17	Fine	53.1	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:17	-	20:22		53.5		
	21:27	-	21:32		54.8		
27 Sep 2025	1:27	-	1:32	Fine	50.6	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:17	-	3:22		50.3		
	5:17	-	5:22		52.5		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
29 Sep 2025	13:45	-	14:15	Sunny	59.2	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
29 Sep 2025	19:15	-	19:20	Fine	52.5	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	20:30	-	20:35		54.0		
	21:20	-	21:25		53.3		
30 Sep 2025	1:25	-	1:30	Fine	49.1	SVAN 971 (Serial No. C132261)	Rion NC-74 (No.34615222)
	3:15	-	3:20		48.9		
	5:20	-	5:25		49.7		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 01, 10, 15, 26 and 29 September 2025 (Daytime)

01&02, 10&11, 15&16, 26&27 and 29&30 September 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring Data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Sep 2025	14:48	-	15:18	Sunny	55.9	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
01 Sep 2025	19:23	-	19:28	Fine	54.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:33	-	20:38		54.6		
	21:28	-	21:33		55.8		
02 Sep 2025	1:13	-	1:18	Fine	53.4	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:13	-	3:18		52.1		
	5:03	-	5:08		53.2		
10 Sep 2025	14:01	-	14:31	Sunny	56.6	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
10 Sep 2025	19:06	-	19:11	Fine	53.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:06	-	20:11		55.6		
	21:11	-	21:16		55.3		
11 Sep 2025	1:21	-	1:26	Fine	51.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:36	-	3:41		51.8		
	5:06	-	5:11		52.9		
15 Sep 2025	14:42	-	15:12	Sunny	54.9	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
15 Sep 2025	19:12	-	19:17	Fine	53.4	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:17	-	20:22		54.6		
	21:17	-	21:22		54.3		
16 Sep 2025	1:17	-	1:22	Fine	52.1	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:12	-	3:17		50.6		
	5:12	-	5:17		53.3		
26 Sep 2025	13:37	-	14:07	Sunny	55.8	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
26 Sep 2025	19:07	-	19:12	Fine	53.7	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:22	-	20:27		55.3		
	21:22	-	21:27		55.1		
27 Sep 2025	1:27	-	1:32	Fine	49.9	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:22	-	3:27		52.2		
	5:07	-	5:12		52.0		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
29 Sep 2025	13:25	-	13:55	Sunny	54.0	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
29 Sep 2025	19:20	-	19:25	Fine	52.8	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	20:30	-	20:35		53.7		
	21:20	-	21:25		53.0		
30 Sep 2025	1:20	-	1:25	Fine	51.4	SVAN 971 (Serial No. 103449)	Rion NC-74 (No.34615222)
	3:30	-	3:35		52.4		
	5:15	-	5:20		52.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 01, 10, 15, 26 and 29 September 2025 (Daytime)

01&02, 10&11, 15&16, 26&27 and 29&30 September 2025 (Evening & Nighttime)

Parameter: $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)


Noise source other than construction activities from the Project: Operation of nearby Air Quality Monitoring Station

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
01 Sep 2025	14:39	-	15:09	Sunny	53.0	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
01 Sep 2025	19:24	-	19:29	Fine	57.4	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:49	-	20:54		55.5		
	21:04	-	21:09		58.0		
02 Sep 2025	1:19	-	1:24	Fine	54.9	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:19	-	3:24		55.1		
	5:39	-	5:44		54.9		
10 Sep 2025	13:44	-	14:14	Sunny	55.8	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
10 Sep 2025	19:04	-	19:09	Fine	58.4	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:09	-	20:14		59.1		
	21:39	-	21:44		55.2		
11 Sep 2025	1:24	-	1:29	Fine	54.3	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:34	-	3:39		53.5		
	5:09	-	5:14		56.6		
15 Sep 2025	14:37	-	15:07	Sunny	53.1	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
15 Sep 2025	19:12	-	19:17	Fine	58.2	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:17	-	20:22		54.0		
	21:17	-	21:22		53.0		
16 Sep 2025	1:27	-	1:32	Fine	54.7	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:12	-	3:17		55.3		
	5:02	-	5:07		56.6		
26 Sep 2025	13:23	-	13:53	Sunny	50.9	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
26 Sep 2025	19:13	-	19:18	Fine	51.8	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:23	-	20:28		51.3		
	21:18	-	21:23		51.6		
27 Sep 2025	1:28	-	1:33	Fine	55.5	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:28	-	3:33		55.6		
	5:28	-	5:33		53.7		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
29 Sep 2025	13:42	-	14:12	Sunny	52.0	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
29 Sep 2025	19:12	-	19:17	Fine	50.6	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	20:22	-	20:27		49.1		
	21:12	-	21:17		54.0		
30 Sep 2025	1:32	-	1:37	Fine	49.9	SVAN 971 (Serial No. 103482)	Rion NC-74 (No.34615222)
	3:22	-	3:27		51.3		
	5:22	-	5:27		53.1		


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.


Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.

Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Remark:

1. Construction works carried out during reporting month refer to **Table 1.2**.
2. Weather condition recorded and noise source other than construction activities from the Project observed during the monitoring events refer to noise monitoring data summary in **Appendix G**.