



Appendix D Noise Monitoring Data Trending


Impact Noise Monitoring Results during Day Time (0700 - 1900 hours)



Additional Impact Noise Monitoring Results during Evening Time (1900 - 2300 hours)



Additional Impact Noise Monitoring Results during Night Time (2300 - 0700 hours)



Summary of the Construction Activities Undertaken during the Reporting Period

Location of works	Construction activities undertaken	Remarks on progress
Breakwater	<ul style="list-style-type: none"> • Sand Blanket Laying • DCM Installation 	<ul style="list-style-type: none"> • On-going • Substantially completed
Reclamation area	<ul style="list-style-type: none"> • Sand Blanket Laying • Placing Sand Filter • Reclamation Works 	<ul style="list-style-type: none"> • Completed • On-going • On-going
Seawall portion	<ul style="list-style-type: none"> • DCM Installation Works • Coring for DCM Cluster • Dredging and Sediment Disposal • Cone Penetration Test • Installation of Caisson • Installation of Prefabricated Vertical Drain 	<ul style="list-style-type: none"> • Completed • On-going • Completed. 72,156.7042 m³ of dredged sediment in bulk quantity was dumped at relevant dumping site in total up to 31 July 2020. • Completed • On-going • On-going

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 6, 13, 20, 27 July 2020 (Daytime)
 6&7, 13&14, 20&21, 27&28 July 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jul 2020	16:04	-	16:34	Sunny	57.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
6 Jul 2020	19:04	-	19:09	Fine	56.5	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		55.8		
	21:04	-	21:09		59.1		
7 Jul 2020	01:04	-	01:09	Fine	51.2	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		50.2		
	05:04	-	05:09		52.2		
13 Jul 2020	16:07	-	16:37	Sunny	54.4	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
13 Jul 2020	19:07	-	19:12	Fine	59.0	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:07	-	20:12		54.0		
	21:07	-	21:12		54.9		
14 Jul 2020	01:07	-	01:12	Fine	55.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:07	-	03:12		51.2		
	05:07	-	05:12		51.3		
20 Jul 2020	16:04	-	16:34	Sunny	56.5	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
20 Jul 2020	19:04	-	19:09	Fine	53.9	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		55.5		
	21:04	-	21:09		55.6		
21 Jul 2020	01:04	-	01:09	Fine	53.0	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		52.4		
	05:04	-	05:09		50.3		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 Jul 2020	16:04	-	16:34	Sunny	59.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
27 Jul 2020	19:04	-	19:09	Fine	59.0	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		56.0		
	21:04	-	21:09		55.9		
28 Jul 2020	01:04	-	01:09	Fine	58.6	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		56.7		
	05:04	-	05:09		56.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 3, 10, 17 & 24 August 2020 (Daytime)
 3&4, 10&11, 17&18, 24&25 August 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Aug 2020	16:05	-	16:35	Sunny	58.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
3 Aug 2020	19:05	-	19:10	Fine	57.5	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:05	-	20:10		56.8		
	21:05	-	21:10		55.3		
4 Aug 2020	01:05	-	01:10	Fine	51.5	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:05	-	03:10		52.1		
	05:05	-	05:10		51.9		
10 Aug 2020	16:03	-	16:33	Sunny	60.7	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
10 Aug 2020	19:03	-	19:08	Fine	61.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		59.2		
	21:03	-	21:08		59.9		
11 Aug 2020	01:03	-	01:08	Fine	57.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:03	-	03:08		56.6		
	05:03	-	05:08		56.7		
17 Aug 2020	16:08	-	16:38	Sunny	57.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
17 Aug 2020	19:08	-	19:13	Fine	58.6	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		59.9		
	21:08	-	21:13		59.2		
18 Aug 2020	01:08	-	01:13	Fine	57.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:08	-	03:13		57		
	05:08	-	05:13		58		

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
24 Aug 2020	16:08	-	16:38	Sunny	57.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
24 Aug 2020	19:08	-	19:13	Fine	57.5	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		56.3		
	21:08	-	21:13		57		
25 Aug 2020	01:08	-	01:13	Fine	58.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	03:08	-	03:13		56.4		
	05:08	-	05:13		56.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 1 (M1 / N_S1)

Monitoring date: 1, 7, 14, 21 & 28 September 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 September 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Sep 2020	16:08	-	16:38	Sunny	62.6	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
1 Sep 2020	19:08	-	19:13	Fine	58.7	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		60		
	21:08	-	21:13		59.4		
2 Sep 2020	1:08	-	01:13	Fine	59.4	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	3:08	-	03:13		58.6		
	5:08	-	05:13		59.1		
7 Sep 2020	16:03	-	16:33	Sunny	61.7	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
7 Sep 2020	19:03	-	19:08	Fine	54.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		55.7		
	21:03	-	21:08		52.2		
8 Sep 2020	1:03	-	01:08	Fine	52.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	3:03	-	03:08		52.7		
	5:03	-	05:08		55.6		
14 Sep 2020	16:02	-	16:32	Sunny	60.1	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
14 Sep 2020	19:02	-	19:07	Fine	53.4	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:02	-	20:07		51.7		
	21:02	-	21:07		51.5		
15 Sep 2020	1:02	-	01:07	Fine	51.8	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	3:02	-	03:07		52.9		
	5:02	-	05:07		53.7		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
21 Sep 2020	16:06	-	16:36	Sunny	62.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
21 Sep 2020	19:06	-	19:11	Fine	53.3	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		54		
	21:06	-	21:11		54.1		
22 Sep 2020	1:06	-	01:11	Fine	54.9	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	3:06	-	03:11		54.5		
	5:06	-	05:11		54.1		
28 Sep 2020	16:06	-	16:36	Sunny	62.8	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
28 Sep 2020	19:06	-	19:11	Fine	54.9	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		53.9		
	21:06	-	21:11		54.3		
29 Sep 2020	1:06	-	01:11	Fine	53.9	XL2 (Serial No. A2A-13548-E0)	Rion NC-74 (No. 34504770)
	3:06	-	03:11		54.9		
	5:06	-	05:11		55.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 6, 13, 20, 27 July 2020 (Daytime)
 6&7, 13&14, 20&21, 27&28 July 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jul 2020	16:04	-	16:34	Sunny	56.2	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
6 Jul 2020	19:04	-	19:09	Fine	62.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		61.6		
	21:04	-	21:09		60.6		
7 Jul 2020	01:04	-	01:09	Fine	55.6	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		55.6		
	05:04	-	05:09		56.7		
13 Jul 2020	16:04	-	16:34	Sunny	60.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
13 Jul 2020	19:04	-	19:09	Fine	62.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		56.8		
	21:04	-	21:09		56.5		
14 Jul 2020	01:04	-	01:09	Fine	57.5	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		54.7		
	05:04	-	05:09		55.7		
20 Jul 2020	16:03	-	16:33	Sunny	56.8	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
20 Jul 2020	19:03	-	19:08	Fine	60.0	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		55.4		
	21:03	-	21:08		55.6		
21 Jul 2020	01:03	-	01:08	Fine	53.1	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:03	-	03:08		52.6		
	05:03	-	05:08		50.8		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
27 Jul 2020	16:07	-	16:37	Sunny	57.5	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
27 Jul 2020	19:07	-	19:12	Fine	62.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:07	-	20:12		60.7		
	21:07	-	21:12		64.5		
28 Jul 2020	01:07	-	01:12	Fine	61.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:07	-	03:12		62.8		
	05:07	-	05:12		59.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 3, 10, 17 & 24 August 2020 (Daytime)
 3&4, 10&11, 17&18, 24&25 August 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Aug 2020	16:06	-	16:36	Sunny	59.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
3 Aug 2020	19:06	-	19:11	Fine	55.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		54.3		
	21:06	-	21:11		55.1		
4 Aug 2020	01:06	-	01:11	Fine	52.7	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:06	-	03:11		52.9		
	05:06	-	05:11		51.8		
10 Aug 2020	16:08	-	16:38	Sunny	61.6	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
10 Aug 2020	19:08	-	19:13	Fine	62	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		59.1		
	21:08	-	21:13		59.7		
11 Aug 2020	01:08	-	01:13	Fine	57.1	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:08	-	03:13		56.9		
	05:08	-	05:13		56.9		
17 Aug 2020	16:03	-	16:33	Sunny	60	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
17 Aug 2020	19:03	-	19:08	Fine	58.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		60.7		
	21:03	-	21:08		59.5		
18 Aug 2020	01:03	-	01:08	Fine	58.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:03	-	03:08		56		
	05:03	-	05:08		58.3		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
24 Aug 2020	16:03	-	16:33	Sunny	56.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
24 Aug 2020	19:03	-	19:08	Fine	57	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		55.4		
	21:03	-	21:08		55.8		
25 Aug 2020	01:03	-	01:08	Fine	58	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	03:03	-	03:08		56.9		
	05:03	-	05:08		56.5		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 2 (M2 / N_S2)

Monitoring date: 1, 7, 14, 21 & 28 September 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 September 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Nil

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Sep 2020	16:04	-	16:34	Sunny	63.4	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
1 Sep 2020	19:04	-	19:09	Fine	60.7	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		59.8		
	21:04	-	21:09		59.7		
2 Sep 2020	1:04	-	01:09	Fine	59.1	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	3:04	-	03:09		60.9		
	5:04	-	05:09		59		
7 Sep 2020	16:08	-	16:38	Sunny	61.2	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
7 Sep 2020	19:08	-	19:13	Fine	51.8	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		52.2		
	21:08	-	21:13		55.2		
8 Sep 2020	1:08	-	01:13	Fine	52.6	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	3:08	-	03:13		53.3		
	5:08	-	05:13		54.7		
14 Sep 2020	16:04	-	16:34	Sunny	61.8	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
14 Sep 2020	19:04	-	19:09	Fine	52.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		54		
	21:04	-	21:09		53.5		
15 Sep 2020	1:04	-	01:09	Fine	54	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	3:04	-	03:09		53.8		
	5:04	-	05:09		54.5		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
21 Sep 2020	16:03	-	16:33	Sunny	61.9	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
21 Sep 2020	19:03	-	19:08	Fine	54.5	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:03	-	20:08		53.3		
	21:03	-	21:08		56.2		
22 Sep 2020	1:03	-	01:08	Fine	55.3	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	3:03	-	03:08		53.7		
	5:03	-	05:08		53.6		
28 Sep 2020	16:05	-	16:35	Sunny	61.7	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
28 Sep 2020	19:05	-	19:10	Fine	54.7	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	20:05	-	20:10		53.4		
	21:05	-	21:10		54.5		
29 Sep 2020	1:05	-	01:10	Fine	53.8	XL2 (Serial No. A2A-13663-E0)	Rion NC-74 (No. 34504770)
	3:05	-	03:10		54		
	5:05	-	05:10		53.2		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 6, 13, 20, 27 July 2020 (Daytime)
 6&7, 13&14, 20&21, 27&28 July 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
6 Jul 2020	16:06	-	16:36	Sunny	56.9	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
6 Jul 2020	19:06	-	19:11	Fine	55.9	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		55.0		
	21:06	-	21:11		52.6		
7 Jul 2020	01:06	-	01:11	Fine	54.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:06	-	03:11		53.5		
	05:06	-	05:11		57.7		
13 Jul 2020	16:08	-	16:38	Sunny	57.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
13 Jul 2020	19:08	-	19:13	Fine	57.3	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:08	-	20:13		57.1		
	21:08	-	21:13		58.9		
14 Jul 2020	01:08	-	01:13	Fine	58.0	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:08	-	03:13		57.0		
	05:08	-	05:13		56.9		
20 Jul 2020	16:05	-	16:35	Sunny	56.5	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
20 Jul 2020	19:05	-	19:10	Fine	58.9	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:05	-	20:10		59.7		
	21:05	-	21:10		61.2		
21 Jul 2020	01:05	-	01:10	Fine	56.0	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:05	-	03:10		56.4		
	05:05	-	05:10		49.7		

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)}$ / $L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
27 Jul 2020	16:06	-	16:36	Sunny	55.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
27 Jul 2020	19:06	-	19:11	Fine	52.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		58.2		
	21:06	-	21:11		57.0		
28 Jul 2020	01:06	-	01:11	Fine	58.3	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:06	-	03:11		62.4		
	05:06	-	05:11		50.8		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 3, 10, 17 & 24 August 2020 (Daytime)
3&4, 10&11, 17&18, 24&25 August 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
3 Aug 2020	16:04	-	16:34	Sunny	58.9	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
3 Aug 2020	19:04	-	19:09	Fine	53.4	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		53.1		
	21:04	-	21:09		54.3		
4 Aug 2020	01:04	-	01:09	Fine	52	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		52.9		
	05:04	-	05:09		52.4		
10 Aug 2020	16:04	-	16:34	Sunny	61.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
10 Aug 2020	19:04	-	19:09	Fine	58.7	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		58.5		
	21:04	-	21:09		58.6		
11 Aug 2020	01:04	-	01:09	Fine	54.5	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:04	-	03:09		55.1		
	05:04	-	05:09		55.3		
17 Aug 2020	16:07	-	16:37	Sunny	61.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
17 Aug 2020	19:07	-	19:12	Fine	57.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:07	-	20:12		57.6		
	21:07	-	21:12		57.4		
18 Aug 2020	01:07	-	01:12	Fine	56.4	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:07	-	03:12		56.9		
	05:07	-	05:12		55.4		

Date	Start time		End time	Weather	$L_{eq\ 30min\ dB(A)} / L_{eq\ 5min\ dB(A)}$	Sound Level Meter Used	Calibrator Used
24 Aug 2020	16:02	-	16:32	Sunny	54.4	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
24 Aug 2020	19:02	-	19:07	Fine	56.4	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:02	-	20:07		56.7		
	21:02	-	21:07		57.5		
25 Aug 2020	01:02	-	01:07	Fine	56	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	03:02	-	03:07		56.1		
	05:02	-	05:07		55.6		

Location: Shek Kwu Chau Treatment & Rehabilitation Centre Hostel 3 (M3 / N_S3)

Monitoring date: 1, 7, 14, 21 & 28 September 2020 (Daytime)

1&2, 7&8, 14&15, 21&22, 28&29 September 2020 (Evening & Night time)

Parameter : $L_{eq\ 30min}$ (Daytime), $L_{eq\ 5min}$ (Evening & Night time)

Noise source other than construction activities from the Project: Air-conditioning units nearby

Noise Monitoring data:

Date	Start time		End time	Weather	$L_{eq\ 30min}$ dB(A) / $L_{eq\ 5min}$ dB(A)	Sound Level Meter Used	Calibrator Used
1 Sep 2020	16:06	-	16:36	Sunny	65.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
1 Sep 2020	19:06	-	19:11	Fine	60.2	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		61.6		
	21:06	-	21:11		60.6		
2 Sep 2020	1:06	-	01:11	Fine	59.8	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	3:06	-	03:11		61.6		
	5:06	-	05:11		59.5		
7 Sep 2020	16:05	-	16:35	Sunny	59.6	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
7 Sep 2020	19:05	-	19:10	Fine	55.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:05	-	20:10		54.6		
	21:05	-	21:10		53.9		
8 Sep 2020	1:05	-	01:10	Fine	53.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	3:05	-	03:10		54.5		
	5:05	-	05:10		54.8		
14 Sep 2020	16:06	-	16:36	Sunny	61.5	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
14 Sep 2020	19:06	-	19:11	Fine	53	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:06	-	20:11		54.5		
	21:06	-	21:11		53.2		
15 Sep 2020	1:06	-	01:11	Fine	53.5	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	3:06	-	03:11		52.7		
	5:06	-	05:11		53.9		

Date	Start time		End time	Weather	L_{eq 30min} dB(A) / L_{eq 5min} dB(A)	Sound Level Meter Used	Calibrator Used
21 Sep 2020	16:04	-	16:34	Sunny	62.1	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
21 Sep 2020	19:04	-	19:09	Fine	56.8	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		57.2		
	21:04	-	21:09		58		
22 Sep 2020	1:04	-	01:09	Fine	57.8	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	3:04	-	03:09		58.3		
	5:04	-	05:09		57.9		
28 Sep 2020	16:04	-	16:34	Sunny	62.5	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
28 Sep 2020	19:04	-	19:09	Fine	51.6	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	20:04	-	20:09		51.5		
	21:04	-	21:09		53.5		
29 Sep 2020	1:04	-	01:09	Fine	50.7	SVAN 971 (Serial No. 77731)	Rion NC-74 (No. 34504770)
	3:04	-	03:09		52.2		
	5:04	-	05:09		53.9		